

WO9520794

Publication Title:

SOFTWARE NOTES

Abstract:

The present invention implements, in a data processing environment, many of the attributes of paper Post-it3 notes. The note program of the present invention need not be resident in an application program, and the notes of the present invention may be moved directly between windows or between regions without being saved in an intermediate memory, may be easily dispensed either from a note dispenser of a window or on a desktop, may overlap the boundary of a window, may be automatically saved, may be attached to a document within a window so that the note moves with the document, may overlap a boundary of a window, may be resized with the constraint that the note may not be resized off of a window, may be moved across a window boundary, and may be attached to an object, such as a character, a word, a sentence, or paragraph of a document.

Data supplied from the esp@cenet database - <http://ep.espacenet.com>



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: G06F 17/60, 17/24	A1	(11) International Publication Number: WO 95/20794 (43) International Publication Date: 3 August 1995 (03.08.95)
(21) International Application Number: PCT/US95/00471 (22) International Filing Date: 12 January 1995 (12.01.95) (30) Priority Data: 08/188,219 27 January 1994 (27.01.94) US (71) Applicant: MINNESOTA MINING & MANUFACTURING COMPANY [US/US]; 3M Center, P.O. Box 33427, Saint Paul, MN 55133-3427 (US). (72) Inventors: BERQUIST, David, T.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). EISENBERG, Peter, M.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). GRUNES, Mitchell, B.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). KENNER, Martin, A.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). KRUSE, John, M.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). MERTENS, Timothy, A.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). MUNSON, Cindy, L.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). (74) Agents: SCHULTZ, Leland, D. et al.; Minnesota Mining and Manufacturing Company, Office of Intellectual Property Counsel, P.O. Box 33427, Saint Paul, MN 55133-3427 (US).		(81) Designated States: CA, JP, KR, MX, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: SOFTWARE NOTES <div data-bbox="393 1117 1234 1654" data-label="Diagram"> </div>		
(57) Abstract <p>The present invention implements, in a data processing environment, many of the attributes of paper Post-it® notes. The note program of the present invention need not be resident in an application program, and the notes of the present invention may be moved directly between windows or between regions without being saved in an intermediate memory, may be easily dispensed either from a note dispenser of a window or on a desktop, may overlap the boundary of a window, may be automatically saved, may be attached to a document within a window so that the note moves with the document, may overlap a boundary of a window, may be resized with the constraint that the note may not be resized off of a window, may be moved across a window boundary, and may be attached to an object, such as a character, a word, a sentence, or paragraph of a document.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

Software NotesTechnical Field of the Invention

5 The present invention relates to an arrangement which allows software notes to be used in much the same fashion as sticky-back paper Post-it® notes are currently used.

Background of the Invention

10 Computers are currently used to execute a wide variety of application programs. Such application programs include, for example, design and manufacturing programs, spread sheet programs, word processing programs, programs to facilitate access to data bases, programs to create graphics, and the
15 like. As the number and kinds of application programs continue to proliferate, as computers become easier to use, and as people become increasingly accustomed to using computers, the types of application programs will continue to grow.

20 While a computer is executing such application programs, the computer user may be offered many occasions on which it would be desirable to create one or more notes. For example, on one occasion, a computer user may be working on one or more applica-
25 tion programs when the computer user receives a telephone call. During that telephone call, the computer user may be presented with information which the computer user may wish to memorialize for later access and use or which may spark ideas which
30 the computer user does not want to forget. On another occasion, the computer user may wish to be reminded of some action which the computer user desires, or is required, to take in the future, such

- 2 -

as to make a telephone call or to fill out a time sheet. On yet another occasion, the computer user may want others to take some action, such as to review or revise a document.

5 On all of these occasions, a computer user would traditionally write down the appropriate information on paper notes. Paper Post-it® notes are very convenient forms of such paper notes. Paper Post-it® notes are simply removed from a dispenser
10 pad of sticky-back paper Post-it® notes, and are applied to various surfaces such as documents, the tops of desks, telephones, or the like. Information can be written on paper Post-it® notes either before or after the paper Post-it® notes are detached from
15 their dispenser pad or attached to their target surfaces. Paper Post-it® notes can be easily moved from one surface to another, such as between documents or between documents and the tops of desks, they can overlap edges or boundaries of documents,
20 they can be layered, and they can be moved with the objects to which they are attached.

 However, it is often more convenient for a computer user who is currently using a computer to create a software note on the computer instead of
25 manually writing out a paper note. For example, the note may relate to the contents of one or more documents of the computer's application programs. In such cases, it may be much more convenient to associate the note with a document as the document is
30 saved in the computer's memory, or as the document is displayed on the computer screen. On the other hand, even if the note does not specifically relate to such a document, it still may be more convenient for the computer user to create a note on the com-
35 puter. For example, if the computer user must take

- 3 -

some action while the computer user is using the computer, a reminder note is much more useful if it can be attached to the desktop of the computer display so that the reminder note remains in the computer user's view even while the computer user moves from application program to application program or when all documents are closed.

Application programs currently exist which permit a computer user to generate a software note, and to attach the software note to a document of an application program. Such a note can be created, deleted, edited, saved, and selectively viewed. A computer user may move such a note within a document, or between documents, by cutting the note from a document; storing the note in a clipboard, and then pasting the note to another area of the same document or to a different document. The contents of the note may be entered by use of a keyboard, or by taking a snapshot of a document or of a portion of a document. The background color and size of a note can be selected, the note can be hidden or shown on a selective basis, the note can be stacked with other notes, and the note can be resized. A note can be saved with or without a date and time stamp and, if it is saved with a date and time stamp, the note can be automatically called up as a reminder note on the day and/or at the time stored with the note.

However, current note software programs have a number of problems. For example, many current note software programs must be resident in an application program so that the note software program cannot be interfaced with other application programs installed on the same computer. Therefore, a note for an application program in which the note software is

- 4 -

not resident, or moving a note from a document of an application program in which the note software is resident to a document of an application program in which the note software is not resident, is impossible.

Moreover, notes generated by current note software cannot be easily moved. Moving a note between documents in the same application program, between documents of different application programs, between desktops, and between documents and desktops, is cumbersome since the note must be cut from its existing location, saved in a clipboard, and then pasted to its new location.

Notes generated by current note software cannot be easily dispensed, cannot be dispensed from the title bar of a window, cannot overlap the boundary of a window, and cannot be automatically saved without additional user instruction. While notes created by current note software can be attached to a document within a window so that the note moves with the document, notes cannot be attached to an object, such as a character, a word, a sentence, a paragraph, a graphic, a cell, a page, a video, a video frame, a video segment, a sound, or the like, so that the note moves with the object to a new site in the same document or in a different document. Notes created by current note software cannot be attached to a window so that, if the note is attached to a first portion of the window, the note moves with a scrollable section of the window, and so that, if the note is attached to a second portion of the window, the note does not move with a scrollable section of the window.

Icons have been used in connection with computer programs to open documents, to offer a selection

- 5 -

of menu options, and to perform functions such as deleting documents. In some instances, icons are automatically saved. To a very limited extent, information, such as icon names, can even be inserted in certain icons which are created either by the computer program author or by the computer program user. However, even though limited information can be added to an icon, an icon is not a note. Unlike a note, an icon is merely a symbol which acts as a connection to an object in order to permit access to that object. For example, an icon permits access to a document, or to options from a menu represented by the icon. By contrast, a note is the object itself. A note can be accessed by way of an icon, and a note contains data. Data can be entered directly into a note, but data cannot be entered directly into an icon. The extent to which an icon can accept information is too limited to make the icon at all useful as a note.

20 The present invention overcomes one or more of the problems discussed above.

Summary of the Invention

In one aspect of the present invention, program code is executed in a data processing system so that first and second windows are displayed, and so that the first window has a note. The note is moved from the first window directly to the second window so that the note is moved from the first window to the second window without storing the note in an intermediate storage location.

In another aspect of the present invention, a first program is executed in a data processing system, wherein a first region is displayed in response to execution of the first program, and wherein the

- 6 -

first region has a note. A second program is executed in the data processing system, wherein a second region is displayed in response to execution of the second program, and wherein the first and second
5 programs are different programs. The note is moved from the first region directly to the second region so that the note is moved from the first region to the second region without storing the note in an intermediate storage location.

10 In yet another aspect of the present invention, an indicator of a data processing system is moved to a note dispenser. A first note is grabbed from the note dispenser by use of the indicator, and the first note is moved to a location by use of the
15 indicator. The indicator is moved to the note dispenser. A second note is grabbed from the note dispenser by use of the indicator, and the second note is moved to a location by use of the indicator.

In still another aspect of the present invention, a window is displayed in response to execution of program code in a data processing system. A note overlapping a boundary of the window is displayed in response to execution of program code in the data processing system.

25 In a still further aspect of the present invention, program code is executed in a data processing system to display a note in a region. Changes to the note are automatically saved without user instruction.

30 In another aspect of the present invention, program code is executed in a data processing system so that a window is displayed, and so that the window has an object therein. A note is attached to the object in the window so that the note moves with
35 the object.

- 7 -

In yet another aspect of the present invention, a window is displayed in response to execution of program code in a data processing system, wherein the window has a first portion and a second portion.

5 A note is attached to one of the first and second portions of the window in response to execution of program code in the data processing system so that, if the note is attached to the first portion of the window, the note moves with a scrollable section of
10 the first portion of the window and so that, if the note is attached to the second portion of the window, the note does not move with the scrollable section of the window.

In still another aspect of the present invention, a window is displayed in response to execution
15 of program code in a data processing system, wherein the window has a scrollable portion. A note is attached to the window in response to execution of program code in the data processing system so that
20 the note does not move with the scrollable portion of the window.

In a still further aspect of the present invention, a window is displayed in response to execution of program code in a data processing system, wherein
25 the window has a portion within which contents, such as contents of a document, are visible. A note, having a predetermined area, is displayed in response to execution of program code in the data processing system so that, if any portion of the
30 predetermined area of the note is within the portion of the window, all of the note is displayed.

In yet a further aspect of the present invention, program code is executed in a data processing system so that a window is displayed and so that the
35 window has a resizable note. Resizing of the note

- 8 -

is limited so that the note cannot be resized off of the window.

In another aspect of the present invention, program code is executed in a data processing system so as to display a window having a boundary and so as to display a note in connection with the window. The note is moved across the boundary of the window.

In yet another aspect of the present invention, a window having a title bar is displayed in response to execution of program code in a data processing system. A note symbol is displayed in the title bar in response to execution of program code in the data processing system.

In still another aspect of the present invention, program code is executed in a data processing system so that first and second regions are displayed, and so that the first region has a note. The note is dragged from the first region directly to the second region.

In a further aspect of the present invention, program code is executed in a data processing system so that first and second regions are displayed in response to execution of the program code. A first note is attached to the first region. A second note is attached to the second region. At least some information concerning the first and second notes is added to an index.

In still a further aspect of the present invention, program code is executed in a data processing system so that first and second notes are displayed, and the first note is moved so that the second note is changed to permit contents under the second note to be viewed.

In yet a further aspect of the present invention, program code is executed in a data processing

- 9 -

system so that a note is created wherein the first note has an option, and wherein the option has first and second states. The note is attached to a region so that, if the first state of the option is
5 selected, the note moves as the region scrolls, and so that, if the second state of the option is selected, the note does not move as the region scrolls.

In still a further aspect of the present
10 invention, a first program is executed in a data processing system, wherein the first program is an operating system, and wherein a first region is displayed in response to execution of the first program. A second program is executed in the data pro-
15 cessing system, wherein a second region is displayed in response to execution of the second program, and wherein the first and second programs are different programs. A third program is executed in the data processing system in order to attach a note to one
20 of the first and second regions, wherein the third program is compliant with the first and second programs, and wherein the third program is not a part of the first and second programs.

In another aspect of the present invention, an
25 apparatus includes a region displaying means for displaying first and second regions, a note displaying means for displaying a note at the first region, and note moving means for moving the note from the first region directly to the second region
30 so that the note is moved from the first region to the second region without storing the note in an intermediate storage location.

- 10 -

Brief Description of the Drawing

These and other features and advantages will become more apparent from a detailed consideration of the invention when taken in conjunction with the drawing in which:

Figure 1 illustrates a note according to one embodiment of the present invention;

Figure 2 illustrates one type of note dispenser which can be used to dispense notes, such as the note illustrated in Figure 1;

Figure 3 is a block diagram of a data processing system which can be configured in accordance with the present invention;

Figure 4 is a representation of a screen display showing an overview of the preferred embodiment of the present invention;

Figure 5 is a representation of a screen display showing the creation of notes;

Figure 6 is a representation of a screen display showing note movement and attachment;

Figure 7 is a representation of a screen display showing a note being moved to an illegal attachment site, such as a non-compliant window;

Figure 8 is a representation of a screen display showing the effects of layering on notes;

Figure 9 is a representation of a screen display showing note movement between active and inactive windows;

Figure 10 shows the effects of scrolling a window having notes attached thereto;

Figure 11 shows the effects of resizing a note and resizing a window;

Figure 12 is a representation of a screen display showing movement of a note between desktops;

- 11 -

Figure 13 is a representation of a screen display showing the repositioning of a desktop note dispenser;

5 Figure 14 is a top level flow diagram of the present invention;

Figure 15 is a flow chart showing the Initialize Note Program block of Figure 14 in additional detail;

10 Figure 16 is a flow chart showing the Process Note Program Event block of Figure 14 in additional detail;

Figure 17 is a flow chart showing the A1 subroutine of Figure 16 in additional detail;

15 Figure 18 is a flow chart showing the A2 subroutine of Figure 16 in additional detail;

Figure 19 is a flow chart showing the Position Dispenser block of Figure 18 in additional detail;

Figure 20 is a flow chart showing the Dispense Note block of Figure 18 in additional detail;

20 Figure 21 is a flow chart showing the Get ATTACHMENT block of Figure 20 in additional detail;

Figure 22 is a flow chart showing the Attach Note block of Figure 20 in additional detail;

25 Figure 23 is a flow chart showing the Edit Note Contents block of Figure 20 in additional detail;

Figure 24 is a flow chart showing the Select Option block of Figure 18 in additional detail;

Figure 25 is a flow chart showing the A3 subroutine of Figure 16 in additional detail;

30 Figure 26 is a flow chart showing the Reposition Note block of Figure 25 in additional detail;

Figure 27 is a flow chart showing the Remove Attachment block of Figure 26 in additional detail;

35 Figure 28 is a flow chart showing the Resize note block of Figure 25 in additional detail;

- 12 -

Figure 29 is a flow chart showing the A4 subroutine of Figure 16 in additional detail;

Figure 30 is a flow chart showing the Process Event In Note Program block of Figure 14 in

5 additional detail;

Figure 31 is a flow chart showing the C1 subroutine of Figure 30 in additional detail;

Figure 32 is a flow chart showing the C2 subroutine of Figure 30 in additional detail;

10 Figure 33 is a flow chart showing the C3 subroutine of Figure 30 in additional detail;

Figure 34 is a flow chart showing the C4 subroutine of Figure 30 in additional detail;

15 Figure 35 is a flow chart showing the C5 subroutine of Figure 30 in additional detail;

Figure 36 is a flow chart showing the C6 subroutine of Figure 30 in additional detail;

Figure 37 is a flow chart showing the C7 subroutine of Figure 30 in additional detail;

20 Figure 38 is a flow chart showing the C8 subroutine of Figure 30 in additional detail;

Figure 39 is a flow chart showing the Display Note Appropriately block of Figure 38 in additional detail;

25 Figure 40 is a flow chart showing the C9 subroutine of Figure 30 in additional detail;

Figure 41 is a flow chart showing the C10 subroutine of Figure 30 in additional detail; and,

30 Figure 42 is an example of an index containing information concerning existing notes.

Detailed Description

Paper Post-it® notes have substantially changed the way that people operate not only in their business environments but also in their personal

- 13 -

environments. For example, when a person wishes to annotate a document, create a reminder, provide information to or request an action from another person, or the like, the person fills out a paper
5 Post-it® note and applies the paper note to a document, a top of a desk, a file cabinet, a telephone, or the like. Paper Post-it® notes are convenient because they can be moved from one surface to another, such as between documents or between a
10 document and a top of a desk, they can be edited, they have different attributes such as size, color, and shape, and they have many other useful characteristics. The present invention implements, in a data processing environment, many of these and
15 other attributes of paper Post-it® notes.

An example of a software note 100 according to the present invention is shown in Figure 1. A software note will be referred to hereinafter more simply as a note. The note 100 may have a grab area
20 102, an options area 104, a notation area 106, and/or one or more control areas such as a sizing control area 108. The grab area 102 allows the note 100 to be moved from one location to another, such as between documents, between desktops, or between
25 documents and desktops. The options area 104, when activated, provides options which are selectable by a computer user. These options include, for example, hide/show, delete, font, color, size, duplicate, print, minimum/maximum, video/sound,
30 drawings/graphics, cut/paste/copy, help, note information, preformatted notes, nonmove, content scrolling, and navigation. Any one or more of these options could be provided as a suitable area on the note 100.

- 14 -

The hide/show option allows the computer user to hide or to show the note 100. The delete option allows the note 100 to be deleted. The font option allows the computer user to select the font type, size, color, style, alignment, and the like, for the note 100. The color option allows the computer user to change the color of the note 100. The size option allows the size for the note 100 to be specified. Selection of the duplicate option allows the computer user to duplicate the note 100. Selection of the print option allows the computer user to print the note 100. The minimize/maximize option allows the computer user to select the minimum or maximum size of the note in a simple, one step operation. The video/sound option provides tools which can be used to manipulate and edit video and/or sound. The drawings/graphics option provides access to drawing and graphics manipulation features. The cut/paste/copy option provides basic editing tools for editing text, graphics, video, sound, and the like. The help option allows a computer user to ask for help in using the note program 318. Selection of the note information option provides information on the current note, such as creation time, last modification time, name of attached document, index number, etc. The preformatted note option allows preformatted notes, such notes in the format of a business form, notes with a computer user's name printed thereon, or notes having other specialized indicia, to be dispensed. The nonmove option has both a nonmoving state and a moving state so that, if the nonmoving state of the nonmove option is selected, the note does not move with a document being scrolled, and so that, if the moving state of the nonmove option is

- 15 -

selected, the note moves with a document being scrolled. The content scrolling option, if selected, allows the contents of a note to be scrolled. The navigation option allows the computer user to

5 navigate from one note to another on a document or between documents of the same or different application programs, and may include the additional functions of next note, previous note, first note, last note, go to a specific note, and the like.

10 Material, such as text, video, sound, or graphics, can be entered into the notation area 106 of the note 100, and the note 100 can be resized by the use of the sizing control area 108 in order to conform the size of the note 100 with the amount of

15 information contained within the notation area 106, or for any other reason. The note 100 can be resized by positioning an indicator, such as a pointer or a cursor for example, over the sizing control area 108 of the note 100, by activating the

20 cursor, by dragging the cursor to a different location, and by releasing the cursor. Although the term "cursor" is used herein, it should be clear that the term "cursor" is intended to broadly cover any type of indicator or pointer. As the cursor is

25 dragged, an outline of the note 100 follows the cursor in order to indicate the changing size of the note 100. When the cursor is released, the note assumes the last indicated size of the note 100. Alternatively, the cursor can be positioned over the

30 sizing control area 108 of the note 100, activated, and then activated again elsewhere on the viewing screen of a monitor of a display terminal to indicate a new corner location for the note 100. After this second activation, the note is resized.

35 As a further alternative, the sizing control area

- 16 -

108 may comprise different size symbols each indicating a different size which may be selected for the note 100.

5 The grab area 102, the options area 104, the notation area 106, and the sizing control area 108 of the note 100 may be delineated by graphic design elements such as lines, shadings, color, or the like. The grab area 102 may be accessed, for example, by a cursor under control of a mouse, by
10 arrow keys, or the like, in order to reposition the note 100. Either the grab area 102, or the notation area 106, or both, may be used to render the note active for such subsequent actions as adding information to, deleting information from, or edit-
15 ing information in, the notation area 106. A part of the display, when the options area 104 is accessed, may be a tool bar. Alternatively or in addition to the options area 104, the note 100 may contain a tool area which is always visible to the
20 computer user.

The note 100 may be dispensed in a number of ways. One convenient way of dispensing the note 100 is from a note dispenser, an example of which is shown in Figure 2. As shown in Figure 2, a note
25 dispenser 200 includes a note dispensing area 202 from which notes, such as the note 100, may be dispensed, a grab area 204 so that the note dispenser 200 may be repositioned, and an options area 206 which, when activated, presents options to the
30 computer user. These options are selectable by the computer user, and may include, for example, options relating to the maximum and minimum size of notes, to hiding or showing all notes, to undeleting notes, to setting up a note appearance, to providing help,
35 to specifying the color of notes, to printing a

- 17 -

single note or a selected set of notes, to search for specific text, color, format, size, and/or the like of a note, and the like. The note dispensing area 202 represents a pad of notes from which notes
5 may be dispensed one at a time, if desired. The areas of the note dispenser 200 may be delineated by graphic design elements such as lines, shadings, icons, color, and/or the like.

10 An index or directory listing of some or all of the notes may also be provided as a note option, a note dispenser option, an application program option, or otherwise.

One possible operating environment of the present invention is a data processing system such
15 as a data processing system 300 shown in Figure 3. However, it should be noted that the present invention can be used in any other operating environment. The data processing system 300, for example, can be a personal computer or work station
20 which includes a processor 302, one or more display terminals 304, and one or more input devices 306. The display terminals 304 may include, for example, a monitor having a viewing screen, a printer, and/or the like. The input devices 306 may include, for
25 example, a mouse, a keyboard, and/or similar devices.

The processor 302 includes a central processing unit (CPU) 308 which communicates with the display terminals 304 and the input devices 306 through an
30 input/output controller 310, and which processes program code stored in a memory 312. The program code stored in the memory 312 includes, at least in part, an operating system 314, various application programs 316, and a note program 318. The applica-
35 tion programs 316 may include word processing

- 18 -

programs, spread sheet programs, and the like. The note program 318 is executed by the processor 302 in order to perform the functions of the present invention.

5 The note program 318 may contain a default size and shape for the note 100. The note program 318 may also contain a default color for the note 100 when the note is first created, i.e. dispensed. The default characteristics of the note 100 may be
10 configured by the data processing system 300 and/or by the computer user. Furthermore, the color of the note 100 may change based on its state. For example, the note 100 positioned on a currently
15 active window may have a different color or shade of color from a note positioned on an inactive window. An active window is a window which has been selected by a computer user for some action. An active
20 window may have a different appearance to indicate that it is active and that inactive window are not active. The color of an individual note may also be
25 changed by the computer user after it is created.

 The note program 318 can provide more than one note dispenser 200. Each such note dispenser 200 may have a different size and shape. The notes of
25 such note dispensers can have different functions. The computer user may dispense a note from a note dispenser dependent upon the desired function of the note.

 Figure 4 illustrates one possible display 400
30 which may appear on a viewing screen of a monitor of the display terminals 304 during execution by the data processing system 300 of the operating system 314, the application programs 316, and the note
35 program 318. The display 400 includes a desktop 402 typically generated in response to execution of the

- 19 -

operating system 314, an active window 404 typically generated in response to execution of one of the application programs 316, and an inactive window 406 also typically generated in response to execution of one of the application programs 316. The active window 404 contains a document 408, and the inactive window 406 contains a document 410. Each window, such as the active window 404, is typically defined by a boundary 412 which includes, in part, a title bar 414.

A note dispenser 418, which may be identical to the note dispenser 200 shown in Figure 2, is positioned on the desktop 402. A plurality of notes are attached to various regions of the display 400. A region is defined herein as a window, or a desktop, or a document, or the like, but does not mean two areas of a document displayed in a window. For example, notes 420, 422, 424, 426, and 428 are attached to the desktop 402. These notes remain on the desktop 402 even though the active window 404 and the inactive window 406 are edited, are closed, or are replaced by other windows. Also, until these notes are deleted or edited, these notes may or may not, as desired, appear each time the data processing system 300 is initialized.

A note 430 is attached to the document 408 within the active window 404, and a note 432 is attached to the document 410 within the inactive window 406 so that it overlaps a right-hand edge of a boundary 434 of the inactive window 406. The notes 430 and 432 are saved so that they appear whenever their corresponding documents 408 and 410 appear, and the notes 430 and 432 appear on the viewing screen of a monitor of the display terminals 304 only when their corresponding documents 408 and

- 20 -

410 appear on the viewing screen of the monitor of the display terminals 304. The notes 420, 422, 424, 426, 428, 430, and 432, and the note dispenser 418, are created in response to execution of the note
5 program 318.

A note can be dispensed, for example, from the note dispenser 418 by positioning a cursor (e.g., by appropriately controlling a mouse) over a note dispensing area 436 of the note dispenser 418. By
10 activating the cursor (e.g., by depressing the control button of the mouse), a note can be dragged from the note dispenser 418 to a desired location where it can be attached by deactivating the cursor (e.g., by releasing the control button of the
15 mouse). Alternatively, by positioning a cursor over the note dispensing area 436 of the note dispenser 418 and by merely activating the cursor, note can be caused to appear at locations of the display 400 as determined by the note program 318 and/or by the
20 computer user. The notes can be moved from these locations by dragging the note to a desired attachment site.

Notes can be attached to an attachment site by selecting a note and by positioning the note on the
25 attachment site to which the note is to be attached. For example, a cursor may be moved to the grab area of a note, such as the grab area 102 of the note 100. The cursor is activated, and the note is dragged to a desired attachment site. The note is
30 then attached to the attachment site which is located under the cursor at the time that the cursor is deactivated. Alternatively, an attachment area can be provided on a note so that the note is attached to whatever attachment site is located
35 beneath the attachment area of the note at the time

- 21 -

that the cursor is deactivated. As another alternative, a note can be moved by clicking a mouse on the grab area of the note, and by then clicking the mouse again at a new attachment site.

5 If a note is attached so that the note is entirely within the boundary of a window, the attachment site of the note is easily discerned. However, when a note, such as the note 432, overlaps a boundary of a window, the attachment site of the
10 note may be ambiguous. Thus, without any further indication, the note 432 could be attached either to the document 410 or to the desktop 402. Therefore, an indication may be provided to indicate the
15 attachment site of the note. For example, a note attached to a window may have a different color, texture, border, or the like, than a note attached to a desktop. Alternatively, the options, tool, and size graphics can be removed from notes that are not
20 attached to the top layered document. As another alternative, an attachment point on each note can be used to indicate the point to which the note is attached. Thus, a thumb tack graphic, or the like, can be used such that the point of the tack
25 indicates the precise attachment point. Drop shadowing and/or border highlighting can be also used.

 A note may or may not be attached to another note, as desired. In either event, however, notes can be layered with other notes so that the notes
30 overlap parts of other notes, as illustrated by the notes 424, 426, and 428 of Figure 4. Also, notes remain attached to documents as the documents travel, such as between terminals, and/or between terminals and a network server of a network, so that
35 any computer user on the network receives the

- 22 -

benefit of the notes as the computer user calls up documents to which the notes are attached.

When a new note is dispensed, the note can be displayed with an insert symbol (for example, a
5 blinking vertical bar) at an insert point in the notation area of the note, such as in the notation area 106 of the note 100. Text or other material can be entered from a keyboard or other input device 306. If text is to be entered, for example, the
10 computer user simply begins typing at the insert symbol within the newly dispensed (i.e., created) note. When an existing note is to be edited, a computer user positions an insert symbol within the notation area of the existing note and modifies the
15 desired information as desired. In either case, the insert symbol moves with information entry to indicate the current insert point.

Preferably, although not necessarily, automatic word wrap is provided if text is entered into a
20 note, or if a note having existing text is resized. When the entered text reaches the bottom right extent of the note, further entry of text is possible but is not seen by the computer user unless the computer user subsequently resizes the note, or
25 makes the font size of the entered text smaller. Alternatively, additional text entry can be disallowed, and a beep can be sounded to indicate that the note is full. In another alternative, additional entry of text automatically expands the
30 visible size of the note to accommodate the new text until the viewing screen of the data processing system is filled. Thereafter, text is scrolled up in the note as each new line of text is entered. Additional alternatives will be readily apparent.

- 23 -

The end of text entry can be invoked, for example, by clicking a mouse outside of the notation area of the note, which removes the insert symbol from the note. The end of text entry can also be
5 invoked by pressing a key (such as the escape key) or a combination of keys. The amount of information that can be entered into a single note can be limited by the amount of memory provided by the system at the time that the note is created.
10 Alternatively, a specific limit can be imposed on the amount that can be entered.

Drawings, video, and/or sound information can be added to the notation area of a note by copying them from another document and pasting them into the
15 note. Alternatively, such information can be added to a note by using drawing, video, and/or sound tools available from the options area of a note or from a tool bar.

As mentioned previously and as shown in Figure
20 5, notes can be dispensed in a variety of ways. For example, a note can be dispensed from a note dispenser, such as a note dispenser 500, which is located on a desktop 502 of a display 504. A note may be dispensed from the note dispenser 500 by
25 moving a cursor to a note dispensing area 506 of the note dispenser 500, by activating the cursor (such as by clicking a mouse) to grab a note, and by dragging the note from the note dispensing area 506 to either the desktop 502 or to a window, such as a
30 window 508. Thus, a note 510 can be grabbed by a cursor from the note dispensing area 506, and dragged by the cursor to a position on the desktop 502. The note 510 is attached to the desktop 502 by releasing the cursor. Alternatively, or addi-
35 tionally, a note 512 can be grabbed by a cursor from

- 24 -

the note dispensing area 506, and dragged by the cursor to the window 508. The note 512 is attached to the window 508 by releasing the cursor. Alternatively, by positioning a cursor over the note
5 dispensing area 506 of the note dispenser 500 and by merely activating the cursor, the note can be caused to appear in at locations of the display 504 as determined by the note program 318 and/or by the computer user.

10 Also, as shown in Figure 5, as part of the interface between the note program 318 and one or more of the application programs 316, a symbol, such as a note dispenser 513, appears in a title bar 514 of the window 508, although the note symbol, such as
15 the note dispenser 513, may appear elsewhere on the window 508, such as in a tool bar or in a menu bar. The note dispenser 513 may be one or more words, icons, graphics, or the like. For example, the note dispenser 513 may comprise two parts, an options
20 area 515 and a note dispensing area 516. As in the case of the note dispenser 500, a note, such as the note 512, can be dragged from the note dispensing area 516 by positioning the cursor over the note dispenser 516, by activating the cursor to grab a
25 note from the note dispensing area 516, by dragging the note to any desired attachment site on either the window 508 or on the desktop 502, and by deactivating the cursor to attach the note to the desired attachment site. Alternatively, by posi-
30 tioning the cursor of the data processing system 300 over the note dispensing area 516 in the title bar 514, and by activating the cursor, a note, such as the note 512, is dispensed to a predetermined region of the display 504 as indicated by an arrow 518.
35 The grab area of the note 512, such as the grab area

- 25 -

102 of the note 100 shown in Figure 1, can be used to attach the note 512 to any desired attachment site either on the window 508 or on the desktop 502.

As shown in Figure 6, notes can be moved
5 directly between regions of a display 600, such as between regions resulting from execution of application programs and/or operating systems. Because notes can be moved directly from a first region to a second region, the notes are moved without first
10 saving the notes in a clipboard or other intermediate memory before the notes are attached to the second region. For example, with the present invention, there is no need to first cut or copy a note from the first region, to then temporarily store the
15 note in a clipboard, and to then paste the note to the second region. Thus, the notes of the note program 318 can be moved much more simply than are the notes of other note programs.

Accordingly, the display 600, which may, for
20 example, be presented on a viewing screen of a monitor of the display terminals 304, may contain regions such as a first window 602, a second window 604, and a desktop 606. The first and second windows 602 and 604 may appear in the display 600 as
25 a result of execution of one or more of the application programs 316, and the desktop 606 may appear in the display 600 as a result of execution of the operating system 314. A note 608, which initially resides at a first location on the desktop 606 of
30 the display 600, is moved directly from this first location on the desktop 606 to a document 610 in the first window 602. The note 608 may then be moved directly from the document 610 in the first window 602 to a document 612 in the second window 604. The
35 note 608 may then be moved directly from the docu-

- 26 -

ment 612 in the second window 604 to a second location on the desktop 606.

Since pre-existing notes can obscure potential attachment sites for a note being created or moved,
5 all other visible notes may be changed to just outlines as soon as a selected note is in a moving state. Thus, anything under the note outlines becomes visible. Alternatively, only those notes under, or in the vicinity of, a moving cursor are
10 changed to outline form only. A further alternative is to make either all notes, or the notes under a moving cursor, entirely transparent or translucent when any note is in a moving state so that a computer user can see through the non-moving notes
15 to the material below.

As shown by a display 700 in Figure 7, a note can be moved only to a legal attachment site, e.g. a region of a viewing screen under control of a program which is compliant with the note program
20 318. A note 702 is currently attached to a compliant desktop 704, i.e. a desktop which results from execution of a program, such as the operating system 314, which is compliant with the note program 318. The note 702 cannot be moved to a document 706
25 contained within a noncompliant window 708, i.e. a window which results from execution of a program, such as one of the application programs 316, which is not compliant with the note program 318. An application program, or an operating system, is
30 compliant with the note program 318 if the application program, or operating system, is interfaced with the note program 318. Similarly, an application program, or an operating system, is not compliant with the note program 318 if the
35 application program, or operating system, is not

- 27 -

interfaced with the note program 318. Moreover, certain windows, or even certain sections of windows, may be noncompliant with the note program 318 even though these windows, sections on windows, are displayed as a result of the execution of programs which are compliant with the note program 318.

If an attempt is made to move the note 702 to the noncompliant window 708, an immediate feedback may be provided to the computer user that the program controlling the noncompliant window 708 will not, and cannot, accept the note 702 from the note program 318. This feedback may be provided by changing the cursor to a symbol, such as a symbol 710, which appears whenever the note 702 is dragged over a noncompliant region. Alternatively, this feedback may be provided simply by the disappearance of the note 702 from the noncompliant window 708 and the reappearance of the note 702 at its original location when the cursor moving the note 702 over the noncompliant window 708 is released. Moreover, instead of providing a visual feedback of an attempt to attach a note to an illegal attachment site, such as the noncompliant window 708, an auditory feedback, such as a beep or continuous sound, may be provided when the note is over the illegal attachment site. Another alternative is for the outline of the note, which appears while the note is being moved, to simply zoom back to its original location when an attempt is made to attach the note to an illegal attachment site.

Also, a note 712 is currently attached to a compliant window 714, i.e. a window which results from a program, such as one of the application programs 316, which is compliant with the note pr-

- 28 -

ogram 318. The note 712 cannot be moved to the document 706 contained within the noncompliant window 708. If an attempt is made to move the note 712 to the noncompliant window 708, an immediate
5 feedback may be provided to the computer user that the program controlling the noncompliant window 708 will not, and cannot, accept the note 712.

Moreover, if the note program 318 is arranged so that a note dispenser 716, which may be similar
10 to the note dispenser 513, appears in a title bar 718 of the compliant window 714, the computer user will understand that the compliant window 714 is a compliant window. On the other hand, if the note dispenser 716 appears in the title bar 718 of the
15 compliant window 714 but a similar note dispenser does not appear in a title bar 720 of the noncompliant window 708, the computer user will understand that, while the compliant window 714 is a compliant window, the noncompliant window 708 is a
20 noncompliant window.

As shown by a display 800 in Figure 8, notes can be layered with windows. First, second, and third documents 802, 804, and 806 appear in corresponding first, second, and third windows 808, 810,
25 and 812 as a result of execution of one or more application programs. The first, second, and third windows 808, 810, and 812 are shown on a desktop 814. The desktop 814 may appear on a monitor of the display terminals 304 as a result, for example, of
30 execution of an operating system. The third window 812 is layered over a portion of the second window 810 so as to occlude a portion of the second document 804.

A first note 816 is attached to the first
35 document 802 and is fully within the first window

- 29 -

808. A second note 818 is attached to the first document 802 but overlaps a right-hand edge 820 of a boundary of the first window 808. A third note 822 is attached to the second document 804 and is fully within the second window 810. A fourth note 824 is attached to the third document 806 but overlaps a right-hand edge 826 of a boundary of the third window 812. A fifth note 828 is attached to the desktop 814.

10 A note which is attached to a document appears as a layer over the document to which the note is attached. Thus, the content of the document underneath the note is occluded. Accordingly, for example, the first note 816 occludes that portion of the first document 802 which is underneath the first note 816. In order to access the information of the first document 802 underneath the first note 816, the first note 816 may be moved aside, or the options area of the first note 816, such as the options area 104 of the note 100, may be activated to reveal the hide/show option such that the hide option may be selected in order to hide the first note 816. Alternatively, a cursor may be activated over the grab area of the first note 816 in order to make the first note 816 invisible or translucent except for its outline, or in order to make the first note 816 entirely invisible or translucent.

As shown in Figure 8, a portion of the fifth note 828 is layered under the second window 810. Thus, a portion of the fifth note 828 is obscured by the second window 810. The fifth note 828 can be grabbed and dragged, as shown by an arrow 830, to a location on the desktop 814 where the fifth note 828 is fully visible. (The fifth note 828 also can be grabbed and dragged from its location where it is

- 30 -

partially obscured by the second window 810 to locations on any of the first, second, and/or third windows 808, 810, and 812.)

The layering of notes is affected by the layering of windows. Thus, since the third window 812 is layered over the second window 810, the third window 812 is also layered over any notes which are attached to the second window 810 and which are underneath the third window 812. As shown in Figure 8, the third window 812 is layered over the third note 822. Accordingly, that portion of the third note 822 which is underneath the third window 812 is occluded by the third window 812.

When there are several notes on one window, the layering of these notes upon each other is based preferably, but not necessarily, on the recency of creation, editing, or selection of notes. That is, the topmost note of a plurality of layered notes is the note which was most recently created, edited, or selected. Accordingly, the selection of a note for creation, editing, or moving moves the note to the top layer of the notes and pushes all other notes down.

A note is associated with its attachment window so that the note becomes active when its attachment window becomes active. Moreover, if a window in a plurality of layered windows changes layers, any notes attached to that window which changes layers move along with that window which changes layers.

Furthermore, when a note attached to an inactive window is selected, the inactive window becomes active. In addition to the inactive window becoming active, if the selected note is among a plurality of layered notes on this window, the selected note moves to the top layer of the

- 31 -

plurality of layered notes if the selected note is below the topmost note of the plurality of layered notes. (Alternatively, if the selected note is below the topmost note of a plurality of layered
5 notes, the selected note need not move to the top layer of notes.)

A note can be moved to a window without affecting the existing layer of that window and without changing the active/inactive state of that
10 window; however, as an alternative, the window may change its layer or state if a note is attached to it.

As shown by a display 900 in Figure 9, notes may be moved between active and inactive windows appearing, for example, on the viewing screen of a
15 monitor of the display terminals 304 of the data processing system 300. A first document 902 and a second document 904 appear in corresponding active and inactive windows 906 and 908 on a desktop 910.
20 For example, the active and inactive windows 906 and 908 appear as the result of the execution of one or more application programs, and the desktop 910 appears as the result of execution of an operating system. As depicted in Figure 9, active windows are
25 displayed as active. As one possible example, shading, such as the shading of a title bar 912 of the active window 906, may be used to indicate that a window or a note is active.

A first note 914, which is originally inactive and which is originally attached to the desktop 910 at a first location, is moved to the active window
30 906, then to the inactive window 908, and finally back to the desktop 910 at a second location.

When a note is attached to an active window,
35 the note becomes active if it was previously

- 32 -

inactive, or remains active if it was previously active. When a note is attached to an inactive window, the note becomes inactive if it was previously active, or remains inactive if it was previously inactive. Thus, when the first note 914 is attached to the active window 906, the first note 914 becomes active, and when the first note 914 is attached to the inactive window 908, the first note 914 becomes inactive. When the first note 914, which is inactive on the inactive window 908, is reattached to the desktop 910, the first note 914 remains inactive.

A second note 916 is originally inactive because it is attached to the inactive window 908. When the second note 916 is moved to the active window 906, the second note 916 becomes active. A third note 918, which is inactive and which is originally attached to a third location of the desktop 910, is moved to a fourth location on the desktop 910 where the third note 918 remains inactive.

As shown in Figure 10, notes may, or may not, move with the scrolling contents of windows appearing, for example, on a viewing screen of a monitor of the display terminals 304 of the data processing system 300. A window 1002 appears on a desktop 1004. As is typical of windows, the window 1002 has a first portion 1006, which may contain a document 1008, and a second portion 1010, which may contain a title bar or any other graphical region. The document 1008 within the first portion 1006 may be scrolled.

The first portion 1006 of the window 1002 may have one or more fixed note sections and one or more moving note sections. Accordingly, if a note is at-

- 33 -

attached to one of these fixed note sections, this note does not move as the document 1008 within the first portion 1006 is scrolled; however, if a note is attached to one of these moving note sections,
5 this note does move with the document 1008 within the first portion 1006 as the document 1008 is scrolled.

Similarly, although the contents of the second portion 1010 generally are nonscrollable, the second
10 portion 1010 of the window 1002 may have one or more fixed note sections and one or more moving note sections. Accordingly, if a note is attached to one of these fixed note sections, this note does not move as the document 1008 within the first portion 1006
15 is scrolled; however, if a note is attached to one of these moving note sections, this note does move as the document 1008 within the first portion 1006 is scrolled.

It should also be understood that, even though
20 a note is attached to a fixed note section of the window 1002, the note will move as the contents within the window 1002 are scrolled if the moving state of the note's nonmove option is selected, and that, even though a note is attached to a moving
25 note section of the window 1002, the note will not move as the contents of the window 1002 are scrolled if the nonmoving state of the note's nonmove option is selected.

These actions of a note are illustrated by
30 Figure 10 wherein a first note 1012, having a grab area 1014, is attached to the document 1008 within the first portion 1006 of the window 1002, a second note 1016, having a grab area 1018, is attached to the second portion 1010 of the window 1002, and a
35 third note 1020, having a grab area 1022, is

- 34 -

attached to the document 1008 within the first portion 1006 of the window 1002. One of the features of the preferred embodiment of the present invention is that, as long as any part of a
5 predetermined area of a note, preferably the grab area, overlies a visible portion of a document in a window, the entire note is visible. Thus, as long as the grab area 1014 of the first note 1012 overlies a part of the document 1008 which is within
10 the first portion 1006 of the window 1002, the entire first note 1012 is visible, and as long as the grab area 1022 of the third note 1020 overlies a part of the document 1008 which is within the first portion 1006 of the window 1002, the entire first
15 note 1020 is visible.

A note which is attached to a moving note section of a window moves with the scrollable contents of the window, and a note which is attached to a fixed note section of a window does not move with
20 the scrollable contents of the window. Thus, as shown by the window 1002 at the end of an arrow 1024, since the first note 1012 is attached to a moving note section of the first portion 1006 of the window 1002, the first note 1012 moves up with the
25 document 1008 as the document 1008 within the first portion 1006 of the window 1002 is scrolled up. The second note 1016, which is attached to a fixed note section of the second portion 1010 of the window 1002, does not move up as the document 1008 within
30 the first portion 1006 of the window 1002 is scrolled up. And, since the third note 1020 is attached to a fixed note section of the first portion 1006 of the window 1002, the third note 1020 does not move up with the document 1008 as the docu-

- 35 -

ment 1008 within the first portion 1006 of the window 1002 is scrolled up.

Moreover, since no part of the grab area 1014 of the first note 1012 now overlies a part of the document 1008 which is within the first portion 1006 of the window 1002, a portion of the first note 1012, commensurate with that part of the document 1008 which underlies the first note 1012 and which is no longer within the first portion 1006 of the window 1002, is also not visible.

Finally, as shown by the window 1002 at the end of an arrow 1026, no part of the first note 1012 is visible since the document 1008 within the first portion 1006 of the window 1002 has been scrolled up sufficiently that none of the document 1008 underlying the first note 1012 is within the first portion 1006 of the window 1002. However, since the second note 1016, which is attached to a fixed note section of the second portion 1010 of the window 1002, does not move up as the document 1008 within the first portion 1006 of the window 1002 is scrolled up, all of the second note 1016 is still visible; and, since the third note 1020, which is attached to a fixed note section of the first portion 1006 of the window 1002, does not move up as the document 1008 within the first portion 1006 of the window 1002 is scrolled up, all of the third note 1020 is still visible.

On the other hand, as shown by the window 1002 at the end of an arrow 1028, since the first note 1012 is attached to a moving note section of the first portion 1006 of the window 1002, the first note 1012 moves down as the document 1008 within the first portion 1006 of the window 1002 is scrolled down. However, the second note 1016, which is at-

- 36 -

tached to a fixed note section of the second portion 1010 of the window 1002, does not move down as the document 1008 within the first portion 1006 of the window 1002 is scrolled down, and the third note
5 1020, which is attached to a fixed note section of the first portion 1006 of the window 1002, does not move down as the document 1008 within the first - portion 1006 of the window 1002 is scrolled down.

Moreover, since the grab area 1014 of the first
10 note 1012 still overlies a part of the document 1008 which is within the first portion 1006 of the window 1002, all of the first note 1012 is visible.

Finally, as shown by the window 1002 at the end of an arrow 1030, no part of the first note 1012 is
15 visible since the document 1008 within the first portion 1006 of the window 1002 has been scrolled down sufficiently that none of the document 1008 underlying the first note 1012 is within the first portion 1006 of the window 1002. However, since the
20 second note 1016, which is attached to a fixed note section of the second portion 1010 of the window 1002, does not move down as the document 1008 within the first portion 1006 of the window 1002 is scrolled down, all of the second note 1016 is still
25 visible; and since the third note 1020, which is attached to a fixed note section of the first portion 1006 of the window 1002, does not move down as the document 1008 within the first portion 1006 of the window 1002 is scrolled down, all of the third
30 note 1020 is still visible.

A note, which has been scrolled out of a window, returns to view whenever any part of the document underlying the note is scrolled back into the window, provided that, whenever any part of the

- 37 -

grab area of the note reappears in the window, the entire note is made visible.

As shown in Figure 11, windows may be resized without affecting the size of a note, and a note may
5 be resized without affecting the size of a window. As a window is resized, any note attached to it remains attached to its attachment site on the window. Preferably, the note cannot be detached from a window, or from a document within a window,
10 due to resizing of the window.

As shown in Figure 11, a first note 1102 is attached to a first document 1104 within a first window 1106. The first note 1102 has a grab area 1108 therein. As shown at the end of an arrow 1110,
15 the first window 1106 has been resized by using, for example, standard window resizing techniques. As a result of the resizing of the first window 1106, a portion of the first document 1104 is removed from the visible portion of the first window 1106. The
20 first note 1102, which is attached to the first document 1104, remains attached to the same attachment site in the first document 1104 even as the first window 1106 is resized. However, as shown in Figure 11, since the first window 1106 is much
25 smaller after resizing, the first note 1102, which retains its same size, overlaps the bottom edge of the boundary of the first window 1106. Also, because at least a portion of the grab area 1108 of the first note 1102 remains within the first window
30 1106, the entire first note 1102 is visible. If the first window 1106 were resized so that the grab area 1108 is no longer visible, only that part of the first note 1102 which overlies the part of the first document 1104 which remains within the first window
35 1106 is visible.

- 38 -

A second note 1112 is attached to a second document 1114 within a second window 1116. As shown at the end of an arrow 1118, the second note 1112, but not the second window 1116, has been resized.

5 In accordance with the preferred embodiment of the present invention, the second note 1112 cannot be resized so that it is no longer attached to the second window 1116. Thus, as the second note 1112 is resized, for example, from its right lower corner, there is a limit placed on the resizing operation to prevent the second note 1112 from being

10 resized off of the second window 1116, e.g. so that a right-hand edge 1120 of the second note 1112 is prevented from being moved across a left-hand edge 1122 of a boundary of the second window 1116.

15

As shown by a display 1200 in Figure 12, notes may be moved between desktops since, with current computer technology, multiple desktops may be simultaneously displayed on one or more monitors of the data processing system 300. As shown in Figure

20 12, the display 1200 includes a first desktop 1202, a second desktop 1204, and a third desktop 1206. For example, the first desktop 1202 may be included within the display 1200 in response to execution of a first operating system, the second desktop 1204

25 may be included within the display 1200 in response to execution of a second operating system, and the third desktop 1206 may be included within the display 1200 in response to execution of a third operating system. Alternatively, the first, second, and third desktops 1202, 1204, and 1206 may be included within the display 1200 in response to execution of a single operating system, or in response to execution of any combination of

30

35 operating systems.

- 39 -

As indicated by an arrow 1208, a note 1210 may be moved between the first and second desktops 1202 and 1204 as long as the operating system(s), the execution of which results in the first and second
5 desktops 1202 and 1204, is/are compliant with the note program 318. As indicated by an arrow 1212, the note 1210 may also be moved between the first and third desktops 1202 and 1206 as long as the operating system(s), the execution of which results
10 in the first and third desktops 1202 and 1206, is/are compliant with the note program 318. The note 1210 may also be moved between the second and third desktops 1204 and 1206 as long as the operating system(s), the execution of which results
15 in the second and third desktops 1204 and 1206, is/are compliant with the note program 318. (The third desktop 1206 may be a simple backdrop instead of a desktop.)

As shown in Figure 13, a display 1300 includes
20 a note dispenser 1302 located at a first location within the display 1300. As shown by an arrow 1304, the note dispenser 1302 may be repositioned to a second location within the display 1300. For example, the note dispenser 1302 may be repositioned
25 by positioning a cursor over a grab area 1306 of the note dispenser 1302, by activating the cursor, by dragging the note dispenser 1302 from its first location to the second location, and by deactivating the cursor to attach the note dispenser 1302 to the
30 second location.

Activating the cursor while the cursor is over the grab area 1306 causes an outline of the note dispenser 1302 to appear in the display 1300 while the note dispenser 1302 is being dragged to the
35 second location. On deactivating the cursor, the

- 40 -

note dispenser 1302 is removed from the first location and appears at the second location. Alternatively, the cursor may be activated and deactivated (such as by clicking a mouse) over the
5 note dispenser 1302, and then reactivated and re-deactivated at the second location. A further alternative is to access a dispenser option from an options area of the note dispenser 1302 and to select a new-coordinate option in order to designate
10 new coordinates for the note dispenser 1302.

The functions described above are executed by the data processing system 300 based upon the note program 318 according to the flow chart shown in Figures 14-41. It is to be understood that,
15 although the note program 318 is shown in sequential flow chart form, the operations and tests described in connection therewith may be performed either sequentially or independently in parallel.

As shown in Figure 14, upon start up, a block
20 1400 of the program code of the data processing system 300 initializes the data processing system 300. As part of this initialization, a desktop is made to appear, for example, on a viewing screen of a monitor of the display terminals 304 of the data
25 processing system 300. A block 1402 initializes the note program 318. The initialization of the note program 318 will be described more fully in connection with Figure 15.

Once the block 1402 initializes the note
30 program 318, the data processing system 300 waits for an event to be chosen by the computer user, as illustrated by a block 1404. If a block 1406 determines that the chosen event to be processed by the data processing system 300 is not a note program
35 event (i.e., is not an event to be executed by the

- 41 -

note program 318), the data processing system 300 processes the event as indicated by a block 1408. If a block 1410 determines that, as a result of processing of the event in accordance with one or
5 more of the application programs 316, further processing of the event by the note program 318 is required, a block 1412 further processes the event. The block 1412 is shown in additional detail in Figure 30.

10 If the block 1406 determines that the event to be processed is a note program event, a block 1414 processes that note program event in a manner to be described more fully in connection with Figure 16. If the block 1410 determines that further processing
15 by the note program 318 is not required, or after the block 1412 further processes the event processed by the block 1408, or after the block 1414 processes a note program event, the program shown in Figure 14 returns to the block 1404 in order to get, and
20 process, the next event.

Figure 15 shows the routine performed by the block 1402 of Figure 14. As shown in Figure 15, a block 1500 loads a note dispenser, such as the note dispenser 200, in a video display memory, and a
25 block 1502 causes the note dispenser stored in the video display memory to appear on the desktop displayed by a monitor of the display terminals 304. Next, a block 1504 loads any desktop notes (i.e., those notes attached to the desktop), which were
30 previously created by the note program 318 and stored at the operating system level, into the video display memory, and a block 1506 causes these desktop notes to be displayed by the monitor of the display terminals 304. The data processing system
35 300 returns to the block 1404 shown in Figure 14.

- 42 -

Figure 16 shows how a note program event is processed according to the block 1414 of Figure 14. As shown in Figure 16, a block 1602 determines whether a cursor of the data processing system 300, as displayed by a monitor of the display terminals 304, is over a note. If the block 1602 determines that a cursor is over a note, such as the note 100, a subroutine A1 is executed by the data processing system 300 in order to change the character of the cursor, as appropriate. The subroutine A1 is shown in Figure 17.

A block 1604 determines whether a desktop note dispenser event is selected by the computer user, such as by determining whether a changed cursor is activated while the changed cursor is over a desktop note dispenser. If the block 1604 determines that an event associated with a desktop note dispenser, such as the note dispenser 200, is to be processed, the subroutine A2 is executed by the data processing system 300. The subroutine A2 is shown in Figure 18.

A block 1606 determines whether a note event is selected by the computer user, such as by determining whether a changed cursor is activated while the changed cursor is over a note. If a note event is selected, the subroutine A3 is executed by the data processing system 300. The subroutine A3 is shown in Figure 25.

A block 1608 determines whether a title bar note dispenser event is selected by the computer user. If a title bar note dispenser event is selected, then the subroutine A4 is executed by the data processing system 300. The subroutine A4 is shown in Figure 29.

- 43 -

If a cursor of the data processing system 300 is not over a note, or if a desktop note dispenser event is not selected by the computer user, or if a note event is not selected by the computer user, or if a title bar note dispenser event is not selected by the computer user, or after execution of the appropriate subroutine A1, A2, A3, or A4, the program returns to the block 1404 shown in Figure 14.

As a cursor is passed over a note as determined by the block 1602 of Figure 16, the character (e.g., appearance) of the cursor is changed according to the subroutine A1 shown in Figure 17. In Figure 17, a block 1700 determines whether the cursor is over the notation area of a note, such as the notation area 106 of the note 100. If so, a block 1702 changes the cursor to a data entry cursor. Data can be entered by a computer user by activating the cursor while the data entry cursor is over the notation area and by operating an appropriate input device, such as a keyboard.

A block 1704 determines whether the cursor is over a grab area of a note. If the cursor is over the grab area of a note, a block 1706 changes the cursor to a move cursor (which may have any desired appearance) so that, if the cursor is activated, the note under the cursor may be repositioned.

A block 1708 determines whether the cursor is over an options area of a note. If the cursor is over the options area, a block 1710 changes the cursor to an options selection cursor (which may have any desired appearance) so that, if the cursor is activated, options are displayed, and so that a computer user may select one of the displayed options.

- 44 -

A block 1712 determines whether the cursor is over another control area, if any, of a note. If the cursor is over another control area of a note, a block 1714 changes the cursor to a control cursor (which may have any desired appearance).

After operation of any of the blocks 1702, 1706, 1710, and 1714, or if the cursor is not over the notation area, the grab area, the options area, or another control area of the note, the program returns to the block 1404 of Figure 14.

If the block 1604 of Figure 16 determines that an event associated with a desktop note dispenser is to be processed so that the subroutine A2 is entered, a block 1800 determines whether a grab area, such as the grab area 204 of the note dispenser 200, is selected by a computer user, such as by clicking a mouse while the mouse cursor is over the grab area. If the grab area is selected, then a block 1802 positions the desktop note dispenser to a location determined by the computer user. The block 1802 is shown in more detail in Figure 19.

A block 1804 determines whether a note dispensing area, such as the note dispensing area 202 of the note dispenser 200, is selected by a computer user, such as by clicking a mouse while the mouse cursor is over the note dispensing area. If the note dispensing area is selected by a computer user, a block 1806 dispenses a note. The block 1806 is shown in more detail in Figure 20.

A block 1808 determines whether an options area, such as the options area 206 of the note dispenser 200, is selected by the computer user. If the options area is selected by the computer user, a block 1810 selects an option as determined by the computer user. The block 1810 is shown in more

- 45 -

detail in Figure 24. After the block 1802 positions a desktop note dispenser, or after the block 1806 dispenses a note from a desktop note dispenser, or after the block 1810 selects an option from a
5 desktop note dispenser, or if a grab area of a note dispenser is not selected by a computer user, or if a note dispensing area of a note dispenser is not selected by a computer user, or if an options area of a note dispenser is not selected by the computer
10 user, the program returns to the block 1404 shown in Figure 14.

The Position Dispenser block 1802 of Figure 18 is shown in more detail in Figure 19. As shown in Figure 19, a block 1900 selects a new attachment
15 site for the desktop note dispenser, for example based upon movement of a cursor by a mouse of the data processing system 300. If a block 1902 determines that the new attachment site, as selected by the block 1900, is a legal attachment site, a
20 block 1904 then removes the desktop note dispenser from its current attachment site, and a block 1906 displays the desktop note dispenser at the new attachment site. A block 1908 stores the desktop note dispenser at the new attachment site.

25 However, if the new attachment site is not a legal attachment site as determined by the block 1902, a block 1910 causes a display or other indication to be provided to the computer user indicating that the selected new attachment site is
30 not a legal attachment site.

After the block 1908 stores the desktop note dispenser at its new attachment site, or after the block 1910 causes a display or other indication to be provided to the computer user indicating that the
35 selected new attachment site is not a legal at-

- 46 -

attachment site, the program returns to the block 1404 of Figure 14.

The Dispense Note block 1806 of Figure 18 is shown in more detail in Figure 20. As shown in
5 Figure 20, a block 2000 determines whether the note is dispensed from the desktop note dispenser. If the note is not dispensed from the desktop note dispenser, a block 2002 determines whether the note is dispensed from a note dispensing area of the title
10 bar note dispenser. If the note is not dispensed either from a desktop note dispenser or from a note dispensing area of the title bar note dispenser, the note must have been dispensed by another means, such as by a note dispensing option of the options area
15 of the title bar note dispenser.

A note which is dispensed by a means other than a note dispenser on a desktop or in the title bar is dispensed to the window from which the note is dispensed and at an attachment site which may be
20 determined by the note program 318 or by the computer user. Accordingly, a block 2004 initially attaches this note to the window from which the note was dispensed. The note may then be move from that initial attachment site, if desired.

25 If the note is dispensed from a desktop note dispenser as determined by the block 2000, or if the note is dispensed from a title bar note dispenser as determined by the block 2002, a block 2006, which is shown in more detail in Figure 21, (i) determines
30 where the note is to be potentially attached, (ii) determines whether this potential attachment site is a valid attachment site, (iii) determines whether the potential attachment site relates to a program, such as an application program or an operating
35 system, which is compliant with the note program

- 47 -

318, and (iv) sets a site flag accordingly. A block 2008 determines whether the site flag indicates that the potential attachment site is legal or illegal.

5 If the block 2008 determines that the site flag indicates that the potential attachment site for a note dispensed from a note dispenser is legal, or if the block 2004 attaches a new note to the window from which the new note is dispensed, a block 2010 creates a note by forming the outline and areas as shown by the note 100 in Figure 1. A block 2012, as shown in more detail in Figure 22, attaches the note to the legal attachment site. A block 2014, as shown in more detail in Figure 23, edits the content of the attached note.

15 If the block 2008 determines that the site flag indicates that the potential attachment site is illegal, or after the block 2014 edits the contents of the note attached to a legal attachment site, the program returns to the block 1404 of Figure 14.

20 The Get ATTACHMENT block 2006 of Figure 20 is shown in more detail in Figure 21. As shown in Figure 21, a block 2102 determines whether a cursor of the data processing system is over a valid or an invalid potential attachment site. An invalid potential attachment site, for example, may be a region, such as a window, which is under the control of a noncompliant program (i.e., a program which is not compliant with the note program 318), or an invalid portion of a region, such as a window, which is under the control of a compliant program (i.e., a program which is compliant with the note program 318).

35 If the cursor is over an invalid potential attachment site, a block 2104 indicates to the computer user that the potential attachment site is

- 48 -

an invalid attachment site. For example, the block 2104 may cause a symbol, such as the symbol 710 shown in Figure 7, to be displayed to the computer user to indicate to the computer user that the potential attachment site is invalid.

On the other hand, if the cursor is over is a valid potential attachment site, a block 2106 indicates to the computer user that the potential attachment site is a valid potential attachment site. For example, instead of displaying a symbol indicating to the computer user that the site is an invalid potential attachment site, the block 2306 may cause an outline of a note to be displayed to the computer user to indicate to the computer user that the potential attachment site is a valid attachment site.

After the block 2104 indicates that the cursor is over an invalid potential attachment site, or after the block 2106 indicates that the cursor is over a valid potential attachment site, a block 2108 determines whether the computer user has selected the potential attachment site as the attachment site, for example by determining whether the computer user released the control button of a mouse. If the block 2108 determines that an attachment site has not been selected by the computer user yet, the routine returns to the block 2102 so that the computer user may move the cursor over other potential attachment sites.

On the other hand, if the block 2108 determines that the potential attachment site has been selected by the computer user as the attachment site, a block 2110 determines whether the selected attachment site is a valid attachment site. If the selected attachment site is not a valid attachment site, a

- 49 -

block 2112 sets a site flag to null which indicates that the potential attachment site is not a valid attachment site. If, instead, the block 2110 determines that the selected attachment site is a valid
5 attachment site, the site flag is not set to null. After the block 2112 sets the site flag to null, or if the block 2110 determines that the selected attachment site is a valid attachment site so that the site flag is not set to null, the program
10 returns to the block 2008 which, as discussed above, determines whether the site flag has been set to null.

The Attach Note block 2012 of Figure 20 is shown in more detail in Figure 22. As shown in
15 Figure 22, a block 2200 determines whether the attachment site is on a desktop. If the attachment site is on a desktop, a block 2202 causes the note to be stored at the operating system level.

After the block 2202 stores the note information concerning a note which is to be attached to a
20 desktop, or if the block 2200 determines that the new attachment site is not a desktop, a block 2204 adds appropriate note information to an index. The index is discussed more fully in connection with
25 Figure 42. A block 2206 determines whether the computer user is creating a new note or whether, for example, an existing note has been moved to a new attachment site. If the computer user is creating a new note, a block 2208 determines whether the
30 selected attachment site is an active attachment site. If a new note is to be created, as determined by the block 2206, and if the attachment site for this newly created note is not active, as determined by the block 2208, a block 2210 makes the attachment
35 site active.

- 50 -

If the block 2206 determines that a new note is not being created, e.g. a note is being moved from an old attachment site to a new attachment site, a block 2212 determines whether the new attachment
5 site is active. If the new attachment site is not active, a block 2214 makes the note inactive. Thus, a note, which is moved to an inactive attachment site, is made inactive.

If a new note is to be created as determined by
10 the block 2206 and if the attachment site for this newly created note is not active as determined by the block 2208 and after the block 2210 makes this attachment site active, or if a new note is to be created as determined by the block 2206 and if the
15 attachment site for this newly created note is already active as determined by the block 2208, or if the block 2206 determines that a new note is not being created and if the block 2212 determines that the new attachment site is active, a block 2216
20 makes the note active. After the block 2216 makes the note active, or after the block 2214 makes the note inactive, a block 2218 displays the note at the new attachment site, and a block 2220 appropriately notifies the application program, which controls the
25 new attachment site, that an attachment change has occurred. That is, the application program which controls the new attachment site is either notified that a new note has been created and has been attached to the new attachment site, or that an
30 existing note has been moved from an old attachment site to the new attachment site. Accordingly, the note is attached to the new attachment site. After the block 2220 appropriately notifies an application program that a change has occurred, the program
35 returns to the block 2014 of Figure 20.

- 51 -

A note can be attached to window, to a desktop, to a document generally, to an object such as a character, a word, a sentence, a paragraph, a graphic, a cell, a page, a video, a video frame, a video segment, a sound, or to the like. If the note is attached to an object, special highlighting, pointers, or the like, may be used to indicate the object to which the note is attached.

The Edit Note Contents block 2014 of Figure 20 is shown in more detail in Figure 23. As shown in Figure 23, a block 2300 permits the computer user to update the contents of an existing note or to insert data into a newly created note. As an example, an edit or data entry cursor may appear in a note. The computer user can use a keyboard or other techniques to enter new data, or edit existing data, within the note at the data entry cursor.

If the note is attached to a desktop, as determined by a block 2302, a block 2304 causes the updated contents to be stored immediately (i.e., without a specific save instruction from the computer user) as data is added to the contents of the note or as the existing contents in the note are edited. On the other hand, if the note is not attached to a desktop as determined by the block 2302, a block 2306 appropriately notifies the application program of the updated contents. Either the note program 318 or an application program may be responsible for saving the updated contents. After the updated contents have been stored by the block 2304 for a note attached to a desktop, or after the block 2306 appropriately notifies the application program of the updated contents, the program returns to the block 1404 of Figure 14.

- 52 -

The Select Option block 1810 of Figure 18 is shown in more detail in Figure 24. As shown in Figure 24, a block 2400 gets the options associated with any existing options area, such as the options area 206 of the note dispenser 200. A block 2402 causes the options to be displayed, and a block 2404 permits the computer user to select an option from the options displayed by the block 2402. A block 2406 executes the option selected by the computer user by way of the block 2404. The system returns to the block 1404 of Figure 14.

If the block 1606 of Figure 16 determines that an event in a note is selected by the computer user so that the subroutine A3 is entered, a block 2500 determines whether a cursor, which is over the grab area of a note, such as the grab area 102 of the note 100, has been activated. If so, a block 2502, the details of which are shown in Figure 26, causes this note to be repositioned.

A block 2504 determines whether the cursor is over the notation area of a note, such as the notation area 106 of the note 100, when the cursor is activated. If the cursor is over the notation area of a note at the time the cursor is activated, a block 2506, the details of which are shown in Figure 23, edits the contents of this note.

A block 2508 determines whether the cursor is over the options area of a note, such as the options area 104 of the note 100, at the time that the cursor is activated. If so, a block 2510, the details of which are shown in Figure 24, selects an option.

A block 2512 determines whether the cursor is over the sizing control area, such as the sizing control area 108 of the note 100, at the time that

- 53 -

the cursor is activated. If so, a block 2514, the details of which are shown in Figure 28, resizes the note.

5 If the cursor is not over the grab area of a note, or if the cursor is not over the notation area of a note, or if the cursor is not over the options area of a note, or if the cursor is not over the sizing control area of a note, at the time that the cursor is activated, or after the block 2502
10 repositions the note, or after the block 2506 edits the contents of the note, or after the block 2510 selects an option, or after the block 2514 resizes the note, the program returns to the block 1404 of Figure 14.

15 The Reposition Note block 2502 of Figure 25 is shown in more detail in Figure 26. As shown in Figure 26, a block 2600 causes the subroutine shown in Figure 21 to be performed. A block 2602 determines whether the site flag is set to null. If
20 the site flag is not set to null, a block 2604 causes the note to be removed from the old attachment site, and a block 2606 causes the subroutine shown in Figure 22 to be performed so as to attach the note to the new attachment site. The block 2604
25 is shown in more detail in Figure 27. If the block 2602 determines that the site flag is set to null, or after the block 2606 causes the note to be attached to the new attachment site, the program returns to the block 1404 of Figure 14.

30 The Remove Attachment block 2604 of Figure 26 is shown in more detail in Figure 27. As shown in Figure 27, a block 2700 removes the note information from the note index. A block 2702 removes the note from the current display, i.e. from the old
35 attachment site of the note. A block 2704

- 54 -

determines whether the old attachment site is a desktop. If the old attachment site is a desktop, a block 2706 causes the information contained in the note at the operating system level to also be removed from memory. On the other hand, if the old attachment site is not a desktop, a block 2708 informs the application program controlling the old attachment site to remove the information relating to the note at the old attachment site. After the block 2706 removes from memory the information of a desktop note being removed from an old attachment site, or after the block 2708 informs the application program controlling the old attachment site, the program returns to the block 2606 of Figure 26.

The Resize note block 2514 of Figure 25 is shown in more detail in Figure 28. As shown in Figure 28, a block 2800 gets the new size for the note. For example, if the sizing control area 108 of the note 100 shown in Figure 1 is to be used for resizing a note, a cursor is moved to the sizing control area 108. The cursor is activated and dragged. As the cursor is dragged, the outline of the note changes to indicate the changing size of the note.

Thereafter, a block 2802 determines whether the note, due to its new size as selected by the computer user, would be off of its attachment, such as off the window to which the note is attached. For example, as shown in Figure 11, if the size of the note 1112 is made smaller in a direction which would otherwise pull the note entirely off of the window 1116 to which the note is attached, a block 2804 limits the resizing so that the note is kept attached to its window. On the other hand, if the

- 55 -

new size of the note does not require the note to be off of its attachment as determined by the block 2802, a block 2806 determines whether the new size is less than a minimum allowable size for a note.

5 If the new size is less than the minimum allowable size, a block 2808 sets the size of the note to its minimum allowable size. The minimum allowable size may be user selectable, or not, or may not be provided at all.

10 If the new size is not less than a minimum allowable size as determined by the block 2806, a block 2810 determines whether the new size is greater than a maximum allowable size. If the new size for the note is greater than a maximum
15 allowable size, a block 2812 sets the size of the note to the maximum allowable size. The maximum allowable size may be user selectable, or not, or may not be provided at all.

After the block 2804 sets the size of the note
20 so that the note is kept on its attachment, or after the block 2808 sets the size of the note to the minimum allowable size, or after the block 2812 sets the size of the note to the maximum allowable size, a block 2814 indicates to the computer user that the
25 size of the note, as selected by the computer user, is inappropriate. For example, the note can be shaded, the note can be color changed, or the note program 318 can simply refuse to change the outline in a nonallowable method, so that the computer user
30 is notified that the computer user has attempted an illegal operation.

After the block 2814 indicates that the selected size of the note is inappropriate, or if the block 2810 determines that the new size of the
35 note is not greater than the maximum allowable size

- 56 -

for a note, a block 2816 determines whether the size of the note has been selected by the computer user. For example, if the sizing control area 108 of the note 100 is being operated by a cursor under control
5 of a mouse, the size is selected when the mouse button is released. If the block 2816 determines that the size of the note has not been selected, the routine shown in Figure 28 returns to the block 2800 for continued resizing of the note. If the block
10 2816 determines that the size of the note has been selected, a block 2818 appropriately notifies the program controlling the attachment (e.g., a window) of the new size of the note. Thereafter, the program returns to the block 1404 of Figure 14.

15 If the block 1608 of Figure 16 determine that an event in the title bar note dispenser is selected by the computer user so that the subroutine A4 is entered, a block 2900 determines whether the event being requested is in a dispensing area of the title
20 bar note dispenser. If the dispensing area in a title bar note dispenser is selected, a block 2902 dispenses a note as shown in Figure 20. If the dispensing area of the title bar note dispenser is not selected, a block 2904 gets the title bar options, a
25 block 2906 displays those options, and a block 2908 selects an option as chosen by the computer user. A block 2910 determines whether the selected option is a note creating option. If it is, the block 2902 dispenses a note. If the selected option is not a
30 note creating option, a block 2912 executes the selected option. After the block 2902 dispenses a note, or after the block 2912 executes the selected option, the program returns to the block 1404 of Figure 14.

- 57 -

Figure 30 shows how the block 1412 further processes an event processed by the block 1408. As shown in Figure 30, a block 3000 determines whether one of the application programs 316 has been
5 started, i.e. has just been entered. If the block 3000 determines that an application program has just been started, a subroutine C1 is executed by the data processing system 300 in order to register that the application program is, or is not, compliant
10 with the note program 318. The subroutine C1 is shown in Figure 31.

A block 3002 determines whether a window has been moved. If the block 3002 determines that a window has been moved, a subroutine C2 is executed
15 by the data processing system 300. The subroutine C2 is shown in Figure 32.

A block 3004 determines whether a window has just been opened as a result of execution of one of the application programs 316 or the operating system
20 314. If the block 3004 determines that a window has just been opened, a subroutine C3 is executed by the data processing system 300. The subroutine C3 is shown in Figure 33.

A block 3006 determines whether a window has been selected, i.e. made active. If the block 3006 determines that a window has been selected, a
25 subroutine C4 is executed by the data processing system 300. The subroutine C4 is shown in Figure 34.

30 A block 3008 determines whether a window has been de-selected, i.e. made inactive. If the block 3008 determines that a window has been de-selected, a subroutine C5 is executed by the data processing system. The subroutine C5 is shown in Figure 35.

- 58 -

A block 3010 determines whether a window has been closed. If the block 3010 determines that a window has been closed, a subroutine C6 is executed by the data processing system 300. The subroutine C6 is shown in Figure 36.

A block 3012 determines whether the contents of a window are being saved. For example, a computer user can select a save option. If the block 3012 determines that the contents of a window are being saved, a subroutine C7 is executed by the data processing system 300. The subroutine C7 is shown in Figure 37.

A block 3014 determines whether a window has been resized by a computer user. If a window has been resized, a subroutine C8 is executed by a data processing system 300. The subroutine C8 is shown in Figure 38.

A block 3016 determines whether an object within a window is being moved by the computer user. If the block 3016 determines that an object within a window is being moved by a computer user, a subroutine C9 is executed by the data processing system 300. The subroutine C9 is shown in Figure 40.

A block 3018 determines whether a window is being scrolled by a computer user. If the block 3018 determines that a window is being scrolled by a computer user, a subroutine C10 is executed by the data processing system 300. The subroutine C10 is shown in Figure 41.

If an application program has not just been started, or if a window has not been moved, or if a window has not just been opened, or if a window has not been selected, or if a window has not been de-selected, or if a window has not been closed, or if the contents of a window are not being saved, or if

- 59 -

a window has not been resized by a computer user, or if an object within a window is not being moved by the computer user, or if a window is not being scrolled by a computer user, or after execution of
5 the appropriate subroutine C1, C2, C3, C4, C5, C6, C7, C8, C9, or C10, the program returns to the block 1404 shown in Figure 14.

When the block 3000 determines that an application program is just started so that the subroutine C1 shown in Figure 31 is entered, a block
10 3100 determines whether the application program just starting is compliant with the note program 318. In effect, the block 3100 determines whether an interface exists between the application program
15 just started and the note program 318.

If the block 3100 determines that the application program just started is compliant with the note program 318, a block 3102 registers the fact that the application program just started is compliant
20 with the note program 318. For example, a flag may be set indicating that the application program is compliant with the note program 318. On the other hand, if the block 3100 determines that the application program just started is not compliant
25 with the note program 318, a block 3104 registers the fact that the application program just initiated is not compliant with the note program 318. For example, a flag may be set indicating that the application program is not compliant with the note
30 program 318. After the block 3102 registers that the application program just started is compliant with the note program 318, or after the block 3104 registers that the application program just started is not compliant with the note program 318, the

- 60 -

subroutine C1 returns to the block 1404 shown in Figure 14.

When the block 3002 determines that a window has been moved so that the subroutine C2 shown in
5 Figure 32 is entered, a block 3200 determines whether there are any notes attached to the window being moved. If there are notes attached to the window being moved, the program corresponding to the window being moved is necessarily compliant with the
10 note program 318. On the other hand, if there are no notes attached to the window being moved, the program corresponding to the window being moved may or may not be compliant with the note program 318.

If the block 3200 determines that there are
15 notes attached to the moved window, a block 3202 determines whether there are any notes attached to the moved window remaining to be offset, i.e. to be moved to the new position of the moved window. If there are any such notes, a block 3204 removes a
20 first of these notes remaining to be offset from the old position of the window, and a block 3206 determines the new coordinates for this first note. The new coordinates of this first note are those coordinates which maintain the original attachment
25 site of this first note relative to the window when the window is at its new position.

A block 3208 determines if this note is to be displayed. For example, the block 3208 may determine whether a note is to be hidden or shown. If
30 the block 3208 determines that this note is to be displayed, a block 3210 displays the note at its new position, i.e. at its new coordinates. After the block 3210 displays the note at its new position, or if the block 3208 determines that the note is not to
35 be displayed, the subroutine C2 returns to the block

- 61 -

3202 to determine whether there are any more notes remaining to be moved to the new position of the window. If there are, the blocks 3204-3210 process each of the remaining notes as above. If the block
5 3200 determines that there are no notes attached to the moved window, or when the block 3202 determines that there are no more notes to be moved to the new position of the moved window, the subroutine C2 returns to the block 1404 shown in Figure 14.

10 When a window is opened as determined by the block 3004 so that the subroutine C3 shown in Figure 33 is entered, a block 3300 determines whether the application program corresponding to the window which has just been opened is compliant with the
15 note program 318. If this application program is compliant with the note program 318, a block 3302 determines whether this particular window is one that can accept notes. That is, windows corresponding to application programs which are compliant with
20 the note program 318 may have invalid attachment sites associated therewith. If the block 3302 determines that the newly opened window can accept notes, a block 3304 registers that the window is compliant with the note program 318. A block 3306
25 then places a note dispenser, such as the note dispenser 513, in the newly opened window. If the block 3300 determines that the application program corresponding to the newly opened window is not compliant with the note program 318, or if the block
30 3302 determines that, even though the window corresponds to an application program which is compliant with the note program 318, the particular window is not a valid attachment site for notes, or after the block 3306 places a note dispenser in the

- 62 -

newly opened window, the subroutine C3 returns to the block 1404 shown in Figure 14.

If the block 3006 determines that a window has been selected so that the subroutine C4 shown in
5 Figure 34 is entered, a block 3400 determines whether there are any notes attached to the selected window. If the block 3400 determines that there are notes attached to the selected window, a block 3402 determines whether there are any notes attached to
10 the selected window which have not been activated. If there are any notes which have not been activated, a block 3404 activates a first of these inactive notes. The block 3402 determines whether there are any more notes which have not been
15 activated. If so, the block 3404 activates another of the inactive notes. When the block 3402 determines that all notes have been activated, or if the block 3400 determines that there are no notes attached to the selected window, the subroutine C4
20 returns to the block 1404 shown in Figure 14.

If the block 3008 determines that a window is de-selected so that the subroutine C5 shown in Figure 35 is entered, a block 3500 determines whether there are any notes attached to the de-
25 selected window. If there are notes attached to the de-selected window, a block 3502 determines whether there are any notes attached to the window which have not been deactivated, i.e. made inactive. If there are notes which have not yet been deactivated,
30 a block 3504 deactivates one of these notes. Then, the block 3502 determines whether there are any more notes which have not been deactivated. If so, the block 3504 deactivates another of the notes which have not been deactivated. When the block 3502
35 determines that all notes attached to the de-

- 63 -

selected window have been deactivated, or if the block 3500 determines that there are no notes attached to the de-selected window, the subroutine C5 returns to the block 1404 shown in Figure 14.

5 If the block 3010 determines that a window has been closed so that the subroutine C6 shown in Figure 36 is entered, a block 3600 determines whether there are any notes attached to the closed window. If there are notes attached to the closed window, a block 3602 determines whether there are any notes attached to the closed window which are still displayed. If the block 3602 determines that there are notes attached to the closed window which are still displayed, a block 3604 removes one of the notes from the display. Then, the block 3602 determines whether there are any other notes attached to the closed window which are still displayed. If so, the block 3604 removes another of the notes from the display. When the block 3602 determines that all notes have been removed from the display, or if the block 3600 determines that there are no notes attached to the closed window, the subroutine C6 returns to the block 1404 shown in Figure 14.

25 If the block 3012 determines that contents of a window are being saved by a computer user so that the subroutine C7 shown in Figure 37 is entered, a block 3700 determines whether there are any notes attached to this window. If the block 3700 determines that there are notes attached to this window, a block 3702 determines whether any of these notes contain information which has not been written, i.e. saved in memory. If the block 3702 determines that there are attached notes containing information which has not yet been written, a block

- 64 -

3704 writes the note information for one of these attached notes. Thereafter, the block 3702 determines whether there are any other notes containing information which has not been written.

5 If so, the block 3704 writes the information of another of the notes. When the block 3702 determines that the information for all attached notes has been written, or if the block 3700 determines that there are no notes attached to the

10 window which contents are being saved by the computer user, the subroutine C7 returns to the block 1404 shown in Figure 14.

If the block 3014 determines that a window has been resized by a computer user so that the sub-

15 routine C8 shown in Figure 38 is entered, a block 3800 determines whether there are any notes attached to the resized window. If there are notes attached to the resized window, a block 3802 determines whether there are any such notes which have not yet

20 been processed by a block 3804. If there are any notes attached to the resized window which have not yet been processed by the block 3804, the block 3804 processes one of the notes yet to be processed. The block 3804 is shown in additional detail in Figure

25 39. After the note is processed by the block 3804, the block 3802 determines whether there are any more notes which have not been processed by the block 3804. If there are, the block 3804 processes another of these notes. When the block 3802 deter-

30 mines that all notes have been processed by the block 3804, or if the block 3800 determines that there are no notes attached to the resized window, the subroutine C8 returns to the block 1404 shown in Figure 14.

- 65 -

Notes are processed by the block 3804 in accordance with the routine shown in Figure 39. A block 3900 determines whether the note currently being processed is to be hidden. If the note is not to be hidden, a block 3902 determines whether any portion of the grab area of the note currently being processed, such as the grab area 102 of the note 100 shown in Figure 1, is within the viewable region of the resized window. If some portion of the grab area of the note currently being processed is within the viewable region of the resized window, a block 3904 displays the entire note currently being processed.

On the other hand, if no portion of the grab area of the note currently being processed is within the viewable region of the resized window, a block 3906 determines whether any portion of the note currently being processed is within the viewable region of the resized window. If some portion of the note currently being processed is within the viewable region of the resized window, a block 3908 displays only that portion of the note currently being processed which is within this viewable region. If the block 3900 determines that the note currently being processed is to be hidden, or after the block 3904 displays the entire note currently being processed, or if the block 3906 determines that no portion of the note currently being processed is within the viewable region of the resized window, or after the block 3908 displays that portion of the note currently being processed which is within the viewable region of the resized window, the routine shown in Figure 39 returns to the block 3802 shown in Figure 38.

- 66 -

If the block 3016 determines that an object within a window is being moved so that the subroutine C9 shown in Figure 40 is entered, a block 4000 determines whether there are any notes attached to the window within which an object is being moved. If so, a block 4002 determines whether there are any such notes which have not been processed. If the block 4002 determines that there are notes which have not been processed, a block 4004 determines whether a first of these notes is attached to an object being moved. If the block 4004 determines that a first of these notes is attached to an object being moved, a block 4006 moves this note along with the object to which it is attached so that this note remains attached to the object being moved. Thereafter, a block 4008 displays this note appropriately. The block 4008 executes the routine described previously in connection with Figure 39.

If the block 4004 determines that this first note is not attached to an object being moved, or after the block 4008 displays this first note which is attached to an object being moved, the block 4002 determines whether there are any other notes which have not been processed by the blocks 4004, 4006 and 4008. If so, the next note is processed by these blocks. When the block 4002 determines that all notes, which are attached to this window within which an object is being moved, have been processed, or if the block 4000 determines that there are no notes attached to the window within which an object is being moved, the subroutine C9 returns to the block 1404 shown in Figure 14.

If the block 3018 determines that a window is being scrolled so that the subroutine C10 shown in Figure 41 is entered, a block 4100 determines

- 67 -

whether there are any notes attached to this scrolled window. If there are, a block 4102 determines whether any of these notes have not been processed. If there are notes which have not yet
5 been processed, a block 4104 determines whether a first of these notes which have not yet been processed is a moving note. A note is a nonmoving note if, for example, its nonmove option has been selected.

10 If the block 4104 determines that the first of these notes which have not yet been processed is a moving note, a block 4106 determines whether this note is attached to a moving note section of the window. For example, if the note is attached to a
15 fixed note section of a window, the note is not moved as the scrollable contents of the window are scrolled.

If the block 4106 determines that the note is attached to a moving note section of a window, a
20 block 4108 causes the coordinates of the note to be adjusted as the attachment site to which the note is attached scrolls with the contents of the scrolled window. Thereafter, a block 4110 causes the note to be displayed at the new coordinates. The block 4110
25 is executed in accordance with the routine shown in Figure 39.

If the block 4104 determines that the note currently being processed by the blocks 4104-4110 is not a moving note, or if the block 4106 determines
30 that this note is not attached to a moving note section of the scrolled window, or after this note is displayed by the block 4110, the block 4102 determines whether all of the notes attached to the scrolled window have been processed by the blocks
35 4104-4110. If all of the notes have not as yet been

- 68 -

processed, the blocks 4104-4110 process another of the notes yet to be processed. When the block 4102 determines that all notes attached to the scrolled window have been processed, or if the block 4100
5 determines that there are no notes attached to this scrolled window, the subroutine C10 returns to the block 1404 shown in Figure 14.

Figure 42 provides an example of an index which can be maintained by the note program 318. This
10 index contains the information added to it by the block 2204, and is useful, for example, in locating notes. As shown in Figure 42, the index 4200 can be displayed within an index window 4202, and includes a listing of all, or some, of the notes created by
15 the note program 318. As shown in Figure 42 by way of example, each listing may include (i) all, or a portion, of a note's contents under a column designated Note, (ii) a region, such as the desktop or a document, to which the note is attached under a
20 column designated Attachment, and (iii) a page number, if appropriate, of the document to which the note is attached.

The index window 4202 may include scroll controls 4204 so that a computer user may scroll
25 through the note listings contained in the index 4200. The size of the index window 4202 for the index 4200 determines how many note listings are visible at one time within the index window 4202. However, the size of the index window 4202 may be
30 adjustable by the computer user, if desired. If only a portion of the contents of a note is contained in a note listing, a series of periods may be used to indicate that the contents of the note are more extensive than shown in the index window
35 4202 of the index 4200.

- 69 -

Navigation controls can also be integrated into the index window 4202. For example, a Go To button 4206 may be used to go to a particular note after the computer user has selected a note from the list shown in the index window 4202. As shown in Figure 42, a selected note may be indicated by shading in the index window 4202. A Next button 4208 may be used to go to the next note.

The index 4200 as shown in Figure 42 is only an example of an index which can be provided. Note information which is different from, or in addition to, the note information shown in Figure 2 can be provided. Also, the construction of the index window 4202 can be varied from that shown in Figure 42. The index 4200 need not be displayed in a window. As an example, the index 4200 could instead be presented to the computer user as a menu.

Many alternatives and modifications have been described above. Many other alternatives and modifications will occur to those skilled in the art. For example, instead of displaying notes and windows in two dimensional regions on a conventional monitor, notes and windows may be displayed holographically, or otherwise, in three dimensional regions. Also, although "window" has been used herein in a conventional sense, the present invention is useful with windows having any number of shapes, sizes, colors, etc. Moreover, although the note 100 is shown as having a grab area 102 separate from the notation area 106, the grab area 102 and the notation area 106 may be coextensive. All such alternatives and modifications are covered by the present invention.

- 70 -

CLAIMS:

1. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that first and second windows are displayed, and so that the first window has a note; and,

moving the note from the first window directly to the second window so that the note is moved from the first window to the second window without storing the note in an intermediate storage location.

2. The method of claim 1 wherein the step of executing program code comprises the step of executing one or more application programs so that the first and second windows are displayed.

3. The method of claim 1 wherein the step of executing program code comprises the step of executing one or more operating systems so that the first and second windows are displayed.

4. The method of claim 1 wherein the note resulted from execution of a note program, and wherein the step of executing program code comprises the step of executing program code so that the first and second windows are compliant with the note program.

- 71 -

5. The method of claim 1 wherein the note resulted from execution of a note program, and wherein the step of executing program code comprises the step of executing program code so that the first window is compliant with the note program and so that the second window is noncompliant with the note program.

6. The method of claim 5 further comprising the step of providing immediate feedback that the second window will not accept the note.

7. The method of claim 1 wherein the first window is active, wherein the second window is inactive, and wherein the step of moving the note comprises the step of moving the note from the active window to the inactive window without making the inactive window active.

8. The method of claim 7 wherein the step of moving the note from the active window to the inactive window comprises the step of moving the note to the inactive window so that the note is inactive after the note is moved to the inactive window, and so that the note remains inactive until the note is made active.

9. The method of claim 1 wherein the first window is inactive, wherein the second window is inactive, and wherein the step of moving the note comprises the step of moving the note from the first inactive window to the second inactive window without making the second inactive window active.

- 72 -

10. The method of claim 9 wherein the step of moving the note from the first inactive window to the second inactive window comprises the step of moving the note to the second inactive window so that the note remains inactive after the note is moved to the second inactive window and until the note is made active, and so that the second inactive window remains inactive after the note is attached to the second inactive window and until the second inactive window is made active.

11. The method of claim 1 wherein the first window is inactive, wherein the second window is active, and wherein the step of moving the note comprises the step of moving the note from the inactive window to the active window without making the inactive window active.

12. The method of claim 11 wherein the step of moving the note from the inactive window to the active window comprises the step of moving the note to the active window so that the note becomes active after the note is moved to the active window, and so that the active window remains active after the note is attached to the active window and until the active window is made inactive.

13. The method of claim 1 wherein the note is a first note, wherein the first or second window has a second note, and wherein the step of moving the note comprises the step of moving the first note so that the second note is changed to permit contents under the second note to be viewed.

- 73 -

14. The method of claim 1 wherein the step of moving the note comprises the step of moving the note across a boundary of the first or second window.

15. The method of claim 14 wherein the step of moving the note across a boundary comprises the step of attaching the note to an object in the second window so that the note moves with the object.

16. The method of claim 14 wherein the step of moving the note across a boundary comprises the step of dragging the note from the first window directly to the second window.

17. The method of claim 14 wherein the step of executing program code in the data processing system comprises the step of executing program code so that first and second notes are displayed, so that the first note is attached to the first window, so that the second note is attached to the second window, and so that at least some information concerning the first and second notes is added to an index.

18. The method of claim 17 wherein the step of moving the note across a boundary comprises the step of dragging the note from the first window directly to the second window.

19. The method of claim 1 wherein the step of executing program code in the data processing system comprises the step of executing program code so that first and second notes are displayed, so that the first note is attached to the first window, so that the second note is attached to the second window,

- 74 -

and so that at least some information concerning the first and second notes is added to an index.

20. The method of claim 19 wherein the step of moving the note comprises the step of dragging the first note from the first window directly to the second window.

21. The method of claim 1 wherein the step of moving the note comprises the step of dragging the note from the first window directly to the second window.

22. The method of claim 21 wherein the step of dragging the note comprises the step of attaching the note to an object in the second window so that the note moves with the object.

23. The method of claim 1 wherein the step of moving the note comprises the step of attaching the note to an object in the second window so that the note moves with the object.

24. The method of claim 1 wherein the step of moving the note comprises the step of displaying the note so that the note overlaps a boundary of the second window.

25. A method comprising the steps, performed by a data processing system, of:

executing a first program in the data processing system, wherein a first region is displayed in response to execution of the first program, and wherein the first region has a note;

- 75 -

executing a second program in the data processing system, wherein a second region is displayed in response to execution of the second program, and wherein the first and second programs are different programs; and,

moving the note from the first region directly to the second region so that the note is moved from the first region to the second region without storing the note in an intermediate storage location.

26. The method of claim 25 wherein the step of executing the first program comprises the step of executing a first operating system, and the step of executing the second program comprises the step of executing a second operating system.

27. The method of claim 25 wherein the step of executing the first program comprises the step of executing a first application program, and the step of executing the second program comprises the step of executing a second application program.

28. The method of claim 25 wherein the step of executing the first program comprises the step of executing an application program, and the step of executing the second program comprises the step of executing an operating system.

29. The method of claim 25 wherein the step of executing the first program comprises the step of executing an operating system, and the step of executing the second program comprises the step of executing an application program.

- 76 -

30. The method of claim 25 wherein the note resulted from execution of a note program, wherein the step of executing a first program comprises the step of executing a first program which is compliant with the note program, and wherein the step of executing a second program comprises the step of executing a second program which is compliant with the note program.

31. The method of claim 25 wherein the note resulted from execution of a note program, wherein the step of executing a first program comprises the step of executing a first program which is compliant with the note program, and wherein the step of executing a second program comprises the step of executing a second program which is noncompliant with the note program.

32. The method of claim 31 further comprising the step of providing immediate feedback that the second program will not accept the note.

33. The method of claim 25 wherein the first region is active, wherein the second region is inactive, and wherein the step of moving the note comprises the step of moving the note from the active region to the inactive region without making the inactive region active.

- 77 -

34. The method of claim 33 wherein the step of moving the note from the active region to the inactive region comprises the step of moving the note to the inactive region so that the note is inactive after the note is moved to the inactive region, and so that the note remains inactive until the note is made active.

35. The method of claim 25 wherein the first region is inactive, wherein the second region is inactive, and wherein the step of moving the note comprises the step of moving the note from the first inactive region to the second inactive region without making the second inactive region active.

36. The method of claim 35 wherein the step of moving the note from the first inactive region to the second inactive region comprises the step of moving the note to the second inactive region so that the note remains inactive after the note is moved to the second inactive region and until the note is made active, and so that the second inactive region remains inactive after the note is attached to the second inactive region and until the second inactive region is made active.

37. The method of claim 25 wherein the first region is inactive, wherein the second region is active, and wherein the step of moving the note comprises the step of moving the note from the inactive region to the active region without making the inactive region active.

38. The method of claim 37 wherein the step of moving the note from the inactive region to the

- 78 -

active region comprises the step of moving the note to the active region so that the note becomes active after the note is moved to the active region, and so that the active region remains active after the note is attached to the active region and until the active region is made inactive.

39. The method of claim 25 wherein the note is a first note, wherein the first or second region has a second note, and wherein the step of moving the note comprises the step of moving the first note so that the second note is changed to permit contents under the second note to be viewed.

40. The method of claim 25 wherein one of the first and second regions has a boundary, and wherein the step of moving the note comprises the step of moving the note across the boundary.

41. The method of claim 40 wherein the step of moving the note across the boundary comprises the step of attaching the note to an object in the second region so that the note moves with the object.

42. The method of claim 40 wherein the step of moving the note across the boundary comprises the step of dragging the note from the first region directly to the second region.

43. The method of claim 40 wherein the step of executing a first program in the data processing system comprises the step of executing a first program so that a first note is attached to the first region, wherein the step of executing a second

- 79 -

program in the data processing system comprises the step of executing a second program so that the second note is attached to the second region, and further comprising the step of adding at least some information concerning the first and second notes to an index.

44. The method of claim 43 wherein the step of moving the note across the boundary comprises the step of dragging the note from the first region directly to the second region.

45. The method of claim 25 wherein the step of executing a first program in the data processing system comprises the step of executing a first program so that a first note is attached to the first region, wherein the step of executing a second program in the data processing system comprises the step of executing a second program so that the second note is attached to the second region, and further comprising the step of adding at least some information concerning the first and second notes to an index.

46. The method of claim 45 wherein the step of moving the note comprises the step of dragging the first note from the first region directly to the second region.

47. The method of claim 25 wherein the step of moving the note comprises the step of dragging the note from the first region directly to the second region.

- 80 -

48. The method of claim 47 wherein the step of dragging the note comprises the step of attaching a note to an object in the second region so that the note moves with the object.

49. The method of claim 25 wherein the step of moving the note comprises the step of attaching a note to an object in the second region so that the note moves with the object.

50. The method of claim 25 wherein the step of moving the note comprises the step of displaying the note so that the note overlaps a boundary of the second region.

51. A method of dispensing notes from a note dispenser, the method comprising the steps, performed by a data processing system, of:

moving an indicator of the data processing system to the note dispenser;

grabbing a first note from the note dispenser by use of the indicator;

moving the first note to a location by use of the indicator;

moving the indicator of the data processing system to the note dispenser;

grabbing a second note from the note dispenser by use of the indicator; and,

moving the second note to a location by use of the indicator.

52. The method of claim 51 wherein the note dispenser is displayed in a title bar, wherein the note dispenser has a note dispensing area, and wherein each of the steps of moving an indicator of

- 81 -

the data processing system to the note dispenser comprises the step of moving an indicator of the data processing system to the note dispensing area.

53. The method of claim 51 wherein the note dispenser has a note dispensing area, and wherein each of the steps of moving an indicator of the data processing system to the note dispenser comprises the step of moving an indicator of the data processing system to the note dispensing area.

54. The method of claim 53 wherein the note dispenser has a note dispenser move area, and wherein the method comprises the further step of repositioning the note dispenser by use of the note dispenser move area of the note dispenser.

55. The method of claim 53 wherein the note dispenser has an options area, and wherein the method comprises the further step of displaying options by use of the options area.

56. The method of claim 55 wherein the note dispenser has a note dispenser move area, and wherein the method comprises the further step of repositioning the note dispenser by use of the note dispenser move area of the note dispenser.

57. The method of claim 51 wherein the step of moving a second note comprises the step of moving the second note so that the first note is changed to permit contents under the first note to be viewed.

- 82 -

58. The method of claim 51 further comprising the steps of displaying a window and of displaying one of the first and second notes so that it overlaps a boundary of the window.

59. The method of claim 58 further comprising the step of attaching one of the first and second notes to an object in the window so that the one of the first and second notes moves with the object.

60. The method of claim 51 further comprising the step of attaching one of the first and second notes to an object so that the one of the first and second notes moves with the object.

61. The method of claim 51 wherein the step of moving the first note comprises the step of moving the first note to a first region, wherein the first region is displayed in response to execution of a first program in the data processing system, wherein the step of moving the second note comprises the step of moving the second note to a second region, wherein the second region is displayed in response to execution of a second program in the data processing system, wherein the first and second programs are different programs, and wherein the method comprises the further step of moving the first note from the first region directly to the second region so that the first note is moved from the first region to the second region without storing the first note in an intermediate storage location.

62. A method comprising the steps, performed by a data processing system, of:

- 83 -

displaying a window in response to execution of program code in the data processing system; and,
displaying a note overlapping a boundary of the window in response to execution of program code in the data processing system.

63. The method of claim 62 wherein the step of displaying a note comprises the step of scrolling the window so that the note overlaps the boundary of the window.

64. The method of claim 62 wherein the step of displaying a note comprises the step of resizing the window so that the note overlaps the boundary of the window.

65. The method of claim 62 wherein the step of displaying a note comprises the step of resizing the note so that the note overlaps the boundary of the window.

66. The method of claim 62 wherein the step of displaying a note comprises the step of changing contents of the window so that the note overlaps the boundary of the window.

67. The method of claim 62 wherein the step of displaying a window comprises the step of executing an application program so that the window is displayed, and wherein the step of displaying a note comprises the step of executing a note program, wherein the application program and the note program are compliant with one another.

- 84 -

68. The method of claim 62 wherein the step of displaying a note comprises the step of moving the note so that the note overlaps the boundary of the window.

69. The method of claim 62 wherein the step of displaying a note comprises the step of attaching a note to an object in the window so that the note moves with the object.

70. A method of saving a note comprising the steps, performed by a data processing system, of:
executing program code in the data processing system to display a note in a region; and,
automatically saving changes to the note without user instruction.

71. The method of claim 70 further comprising the steps of executing an operating system to display the region.

72. The method of claim 70 wherein the step of automatically saving changes comprises the step of saving changes to a position of the note.

73. The method of claim 70 wherein the step of automatically saving changes comprises the step of saving changes to a size of the note.

74. The method of claim 70 wherein the step of automatically saving changes comprises the step of saving changes to a content of the note.

- 85 -

75. The method of claim 70 wherein the step of automatically saving changes comprises the step of saving changes to an attribute of the note.

76. The method of claim 70 further comprising the steps of executing an application program to display the region.

77. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that a window is displayed, and so that the window has an object therein; and,

attaching a note to the object in the window so that the note moves with the object.

78. The method of claim 77 wherein the step of attaching the note comprises the step of creating the note.

79. The method of claim 77 wherein the object in the window is a character, and wherein the attaching step comprises the step of attaching the note to the character so that the note moves with the character.

80. The method of claim 77 wherein the object in the window is a word, and wherein the attaching step comprises the step of attaching the note to the word so that the note moves with the word.

81. The method of claim 77 wherein the object in the window is a sentence, and wherein the attaching step comprises the step of attaching the

- 86 -

note to the sentence so that the note moves with the sentence.

82. The method of claim 77 wherein the object in the window is a graphic, and wherein the attaching step comprises the step of attaching the note to the graphic so that the note moves with the graphic.

83. The method of claim 77 wherein the object in the window is a cell, and wherein the attaching step comprises the step of attaching the note to the cell so that the note moves with the cell.

84. The method of claim 77 wherein the object in the window is a page, and wherein the attaching step comprises the step of attaching the note to the page so that the note moves with the page.

85. The method of claim 77 wherein the object in the window is a paragraph, and wherein the attaching step comprises the step of attaching the note to the paragraph so that the note moves with the paragraph.

86. The method of claim 77 wherein the object in the window is a video, and wherein the attaching step comprises the step of attaching the note to the video so that the note moves with the video.

87. The method of claim 77 wherein the object in the window is a video frame, and wherein the attaching step comprises the step of attaching the note to the video frame so that the note moves with the video frame.

- 87 -

88. The method of claim 77 wherein the object in the window is a video segment, and wherein the attaching step comprises the step of attaching the note to the video segment so that the note moves with the video segment.

89. The method of claim 77 wherein the object in the window is a sound, and wherein the attaching step comprises the step of attaching the note to the sound so that the note moves with the sound.

90. The method of claim 77 wherein the note is a first note, wherein the object in the window is a second note, and wherein the attaching step comprises the step of attaching the first note to the second note so that the first note moves with the second note.

91. A method comprising the steps, performed in a data processing system, of:

displaying a window in response to execution of program code in the data processing system, wherein the window has a first portion and a second portion; and,

attaching a note to one of the first and second portions of the window in response to execution of program code in the data processing system so that, if the note is attached to the first portion of the window, the note moves with a scrollable section of the window and so that, if the note is attached to the second portion of the window, the note does not move with a scrollable section of the window.

92. A method comprising the steps, performed in a data processing system, of:

- 88 -

displaying a window in response to execution of program code in the data processing system, wherein the window has a scrollable portion; and,

attaching a note to the window in response to execution of program code in the data processing system so that the note does not move with the scrollable portion of the window.

93. A method comprising the steps, performed by a data processing system, of:

displaying a window in response to execution of program code in the data processing system, wherein the window has a portion within which contents, such as contents of a document, are visible; and,

displaying a note, having a predetermined area, in response to execution of program code in the data processing system so that, if any portion of the predetermined area of the note is within the portion of the window, all of the note is displayed.

94. The method of claim 93 wherein the step of displaying a note comprises the step of displaying the note so that, as the contents of the window are scrolled, the note moves with the contents as the contents are scrolled, and so that all of the note is displayed even as the note moves.

95. The method of claim 93 wherein the step of displaying a note comprises the step of displaying the note attached to the contents within the window so that, as the window is resized, the note stays attached to the contents.

96. The method of claim 93 wherein the step of displaying a note comprises the step of displaying

- 89 -

the note with the window so that, as the note is resized, the note stays with the window.

97. The method of claim 93 wherein the step of displaying a note comprises the step of displaying the note attached to the window so that, as the window is resized, the note stays attached to the window.

98. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that a window is displayed and so that the window has a resizable note; and,

limiting resizing of the note so that the note cannot be resized off of the window.

99. The method of claim 98 wherein the step of executing program code comprises the step of creating a resizable note having a sizing control, and wherein the step of limiting resizing comprises the step of resizing the note by use of the sizing control.

100. The method of claim 98 further comprising the step of providing immediate feedback that resizing is being limited.

101. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so as to display a window having a boundary and so as to display a note in connection with the window; and,

- 90 -

moving the note across the boundary of the window.

102. A method of dispensing a note from a title bar comprising the steps, performed by a data processing system, of:

displaying a window having a title bar in response to execution of program code in the data processing system; and,

displaying a note symbol in the title bar in response to execution of program code in the data processing system.

103. The method of claim 102 wherein the note symbol is a note dispenser, and the method further comprising the step of activating the note dispenser to dispense a note.

104. The method of claim 103 further comprising the step of adding information to the note.

105. The method of claim 103 wherein the note dispenser has an options area and a note dispensing area.

106. The method of claim 105 further comprises the steps of moving an indicator of the data processing system to the note dispensing area, grabbing a note, and moving the grabbed note by use of the indicator.

- 91 -

107. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that first and second regions are displayed, and so that the first region has a note; and,

dragging the note from the first region directly to the second region.

108. The method of claim 107 wherein the step of executing program code comprises the step of executing one or more application programs so that the first and second regions are displayed.

109. The method of claim 107 wherein the step of executing program code comprises the step of executing one or more operating systems so that the first and second regions are displayed.

110. The method of claim 107 wherein the note resulted from execution of a note program, and wherein the step of executing program code comprises the step of executing program code so that the first and second regions are compliant with the note program.

111. The method of claim 107 wherein the note resulted from execution of a note program, and wherein the step of executing program code comprises the step of executing program code so that the first region is compliant with the note program and so that the second region is noncompliant with the note program.

- 92 -

112. The method of claim 111 further comprising the step of providing immediate feedback that the second region will not accept the note.

113. The method of claim 107 wherein the first region is active, wherein the second region is inactive, and wherein the step of dragging the note comprises the step of dragging the note from the active region to the inactive region without making the inactive region active.

114. The method of claim 113 wherein the step of dragging the note from the active region to the inactive region comprises the step of dragging the note to the inactive region so that the note is inactive after the note is dragged to the inactive region, and so that the note remains inactive until the note is made active.

115. The method of claim 107 wherein the first region is inactive, wherein the second region is inactive, and wherein the step of dragging the note comprises the step of dragging the note from the first inactive region to the second inactive region without making the second inactive region active.

- 93 -

116. The method of claim 115 wherein the step of dragging the note from the first inactive region to the second inactive region comprises the step of dragging the note to the second inactive region so that the note remains inactive after the note is dragged to the second inactive region and until the note is made active, and so that the second inactive region remains inactive after the note is attached to the second inactive region and until the second inactive region is made active.

117. The method of claim 107 wherein the first region is inactive, wherein second region is active, and wherein the step of dragging the note comprises the step of dragging the note from the inactive region to the active region without making the inactive region active.

118. The method of claim 117 wherein the step of dragging the note from the inactive region to the active region comprises the step of dragging the note to the active region so that the note becomes active after the note is dragged to the active region, and so that the active region remains active after the note is attached to the active region and until the active region is made inactive.

119. The method of claim 107 wherein the note is a first note, wherein the first or second region has a second note, and wherein the step of moving the note comprises the step of moving the first note so that the second note is changed to permit contents under the second note to be viewed.

- 94 -

120. The method of claim 107 wherein one of the first and second regions has a boundary, and wherein the step of dragging the note comprises the step of dragging the note across the boundary.

121. The method of claim 120 wherein the step of dragging the note across the boundary comprises the step of attaching the note to an object in the second region so that the note moves with the object.

122. The method of claim 107 wherein the step of dragging the note comprises the step of attaching the note to an object in the second region so that the note moves with the object.

123. The method of claim 107 wherein the step of moving the note comprises the step of displaying the note so that the note overlaps a boundary of the second region.

124. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that first and second regions are displayed in response to execution of the program code;
attaching a first note to the first region;
attaching a second note to the second region;
and,

adding at least some information concerning the first and second notes to an index.

125. The method of claim 124 wherein the step of executing program code comprises the steps of executing a first operating system so that the first

- 95 -

region is displayed, and of executing a second operating system so that the second region is displayed.

126. The method of claim 124 wherein the step of executing program code comprises the steps of executing a first application program so that the first region is displayed, and of executing a second application program so that the second region is displayed.

127. The method of claim 124 wherein the step of executing program code comprises the steps of executing an application program so that one of the first and second regions is displayed, and of executing an operating system so that the other of the first and second regions is displayed.

128. The method of claim 124 wherein the step of executing program code comprises the step of executing a single application program so that the first and second regions are displayed.

129. The method of claim 124 wherein the step of executing program code comprises the step of executing a single operating system so that the first and second regions are displayed.

130. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that first and second notes are displayed; and,

moving the first note so that the second note is changed to permit contents under the second note to be viewed.

- 96 -

131. A method comprising the steps, performed by a data processing system, of:

executing program code in the data processing system so that a note is created, wherein the note has an option, and wherein the option has first and second states; and,

attaching the note to a region so that, if the first state of the option is selected, the note moves as a scrollable portion of the region scrolls and so that, if the second state of the option is selected, the note does not move as a scrollable portion of the region scrolls.

132. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a fixed note section of a scrollable portion of the region, and wherein the first state of the note is selected so that the note moves as the scrollable portion of the region scrolls.

133. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a fixed note section of a scrollable portion of the region, and wherein the second state of the note is selected so that the note does not move as the scrollable portion of the region scrolls.

134. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a moving note section of a scrollable portion of the region, and wherein the first state of the note is selected so that the note

- 97 -

moves as the scrollable portion of the region scrolls.

135. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a moving note section of a scrollable portion of the region, and wherein the second state of the note is selected so that the note does not move as the scrollable portion of the region scrolls.

136. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a fixed note section of a nonscrollable portion of the region, and wherein the first state of the note is selected so that the note moves as a scrollable portion of the region scrolls.

137. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a fixed note section of a nonscrollable portion of the region, and wherein the second state of the note is selected so that the note does not move as a scrollable portion of the region scrolls.

138. The method of claim 131 wherein the step of attaching the note to a region comprises the step of attaching the note to a moving note section of a nonscrollable portion of the region, and wherein the first state of the note is selected so that the note moves as a scrollable portion of the region scrolls.

139. The method of claim 131 wherein the step of attaching the note to a region comprises the step

- 98 -

of attaching the note to a moving note section of a nonscrollable portion of the region, and wherein the second state of the note is selected so that the note does not move as a scrollable portion of the region scrolls.

140. A method comprising the steps, performed by a data processing system, of:

executing a first program in the data processing system, wherein the first program is an operating system, and wherein a first region is displayed in response to execution of the first program;

executing a second program in the data processing system, wherein a second region is displayed in response to execution of the second program, and wherein the first and second programs are different programs; and,

executing a third program in the data processing system to attach a note to one of the first and second regions, wherein the third program is compliant with the first and second programs, and wherein the third program is not a part of the first and second programs.

141. The method of claim 140 wherein the second program is an application program.

142. The method of claim 141 wherein the first region is a desktop and the second region is a window.

143. The method of claim 140 wherein the second program is an operating system.

- 99 -

144. The method of claim 143 wherein the first region is a desktop and the second region is a desktop.

145. The method of claim 140 wherein the first region is active, wherein the second region is inactive, and wherein the method further comprises the step of moving the note from the active region to the inactive region without making the inactive region active.

146. The method of claim 145 wherein the step of moving the note from the active region to the inactive region comprises the step of moving the note to the inactive region so that the note is inactive after the note is moved to the inactive region and so that the note remains inactive until the note is made active.

147. The method of claim 140 wherein the first region is inactive, wherein the second region is inactive, and wherein the method further comprises the step of moving the note from the first inactive region to the second inactive region without making the second inactive region active.

- 100 -

148. The method of claim 147 wherein the step of moving the note from the first inactive region to the second inactive region comprises the step of moving the note to the second inactive region so that the note remains inactive after the note is moved to the second inactive region and until the note is made active, and so that the second inactive region remains inactive after the note is attached to the second inactive region and until the second inactive region is made active.

149. The method of claim 140 wherein the first region is inactive, wherein the second region is active, and wherein the method further comprises the step of moving the note from the inactive region to the active region without making the inactive region active.

150. The method of claim 149 wherein the step of moving the note from the inactive region to the active region comprises the step of moving the note to the active region so that the note becomes active after the note is moved to the active region, and so that the active region remains active after the note is attached to the active region and until the active region is made inactive.

- 101 -

151. An apparatus comprising:
region displaying means for displaying first
and second regions;
note displaying means for displaying a note at
the first region; and,
note moving means for moving the note from the
first region directly to the second region so that
the note is moved from the first region to the
second region without storing the note in an
intermediate storage location.

152. The apparatus claim 151 wherein the region
displaying means comprises a first operating system
for displaying the first region and a second operat-
ing system for displaying the second region.

153. The apparatus claim 151 wherein the region
displaying means comprises a first application
program for displaying the first region and a second
application program for displaying the second
region.

154. The apparatus claim 151 wherein the region
displaying means comprises an application program
for displaying the first region and an operating
system for displaying the second region.

155. The apparatus claim 151 wherein the region
displaying means comprises an operating system for
displaying the first region and an application for
displaying the second region.

156. The apparatus claim 151 wherein the note
displaying means comprises a note program, wherein
the region displaying means comprises a first

- 102 -

program for displaying the first region, wherein the first program is compliant with the note program, and wherein the region displaying means comprises a second program for displaying the second region, wherein the second program is compliant with the note program.

157. The apparatus claim 151 wherein the note displaying means comprises a note program, wherein the region displaying means comprises a first program for displaying the first region, wherein the first program is compliant with the note program, and wherein the region displaying means comprises a second program for displaying the second region, wherein the second program is not compliant with the note program.

158. The apparatus of claim 157 further comprising means for providing immediate feedback that the second program will not accept the note.

159. The apparatus of claim 151 wherein the first region is active, wherein the second region is inactive, and wherein the note moving means comprises means for moving the note from the active region to the inactive region without making the inactive region active.

160. The apparatus of claim 159 wherein the means for moving the note from the active region to the inactive region comprises means for moving the note to the inactive region so that the note is inactive after the note is moved to the inactive region, and so that the note remains inactive until the note is made active.

- 103 -

161. The apparatus of claim 151 wherein the first region inactive, wherein the second region inactive, and wherein the note moving means comprises means for moving the note from the first inactive region to the second inactive region without making the second inactive region active.

162. The apparatus of claim 161 wherein the means for moving the note from the first inactive region to the second inactive region comprises means for moving the note to the second inactive region so that the note remains inactive after the note is moved to the second inactive region and until the note is made active, and so that the second inactive region remains inactive after the note is attached to the second inactive region and until the second inactive region is made active.

163. The apparatus of claim 151 wherein the first region is inactive, wherein the second region is active, and wherein the note moving means comprises means for moving the note from the inactive region to the active region without making the inactive region active.

164. The apparatus of claim 163 wherein the means for moving the note from the inactive region to the active region comprises means for moving the note to the active region so that the note becomes active after the note is moved to the active region, and so that the active region remains active after the note is attached to the active region and until the active region is made inactive.

- 104 -

165. The apparatus of claim 151 wherein the note is a first note, wherein the first or second region has a second note, and wherein the note moving means comprises means for moving the first note so that the second note is changed to permit contents under the second note to be viewed.

166. The apparatus of claim 151 wherein one of the first and second regions has a boundary, and wherein the note moving means comprises means for moving the note across the boundary.

167. The apparatus of claim 166 wherein the means for moving the note across the boundary comprises means for attaching the note to an object in the second region so that the note moves with the object.

168. The apparatus of claim 166 wherein the means for moving the note across the boundary comprises means for dragging the note from the first region directly to the second region.

169. The apparatus of claim 166 wherein the note displaying means comprises means for displaying first and second notes, and wherein the note moving means comprises means for attaching the first note to the first region, means for attaching the second note to the second region, and means for adding at least some information concerning the first and second notes to an index.

170. The apparatus of claim 169 wherein the means for moving the note across the boundary

- 105 -

comprises means for dragging a note from the first region directly to the second region.

171. The apparatus of claim 151 wherein the note displaying means comprises means for displaying first and second notes, and wherein the note moving means comprises means for attaching the first note to the first region, means for attaching the second note to the second region, and means for adding at least some information concerning the first and second notes to an index.

172. The apparatus of claim 171 wherein the note moving means comprises means for dragging the first note from the first region directly to the second region.




173. The apparatus of claim 151 wherein the note moving means comprises means for dragging the note from the first region directly to the second region.

174. The apparatus of claim 173 wherein the means for dragging the note comprises means for attaching a note to an object in the second region so that the note moves with the object.

175. The apparatus of claim 151 wherein the note moving means comprises means for attaching a note to an object in the second region so that the note moves with the object.

- 106 -

176. The apparatus of claim 151 wherein the note moving means comprises means for displaying the note so that the note overlaps a boundary of the second region.

**Fig. 1****Fig. 2****Fig. 3**




Fig. 4




Fig. 5




Fig. 6




Fig. 7

6/38




Fig. 8




Fig. 9




Fig. 10







Fig. 11

*Fig. 12*


11/38


**Fig. 13**

12 / 38


*Fig. 14*


13 / 38


**Fig. 15**

**Fig. 16**


15 / 38

*Fig. 17*


**Fig. 18**


**Fig. 19**

18/38


**Fig. 20**

19/38


**Fig. 21**




21/38

**Fig. 23**


22 / 38

***Fig. 24***


23 / 38

*Fig. 25*


24/38

**Fig. 26**


25 / 38

**Fig. 27**


26 / 38

**Fig. 28**


27 / 38

**Fig. 29**


28 / 38

**Fig. 30**


29 / 38

***Fig. 31***



30 / 38

**Fig. 32**



31 / 38

**Fig. 33**


32 / 38

**Fig. 34****Fig. 35**


33 / 38

**Fig. 36****Fig. 37**


34 / 38


**Fig. 38**

35 / 38

**Fig. 39**

36 / 38

**Fig. 40**

**Fig. 41**

38 / 38

The diagram shows a rectangular window with a header bar and a list of items. The header bar has two columns: 'Note' and 'Attachment'. Below the header, there is a list of five items. Each item has a number, a note title, an attachment name, and a page number. To the right of the list, there is a vertical scrollbar with arrows at the top and bottom, labeled 4204. Below the list, there are two buttons: 'Go To' and 'Next'. The labels 4202, 4200, 4206, and 4208 point to the header bar, the attachment column, the 'Go To' button, and the 'Next' button, respectively.

	Note	Attachment	
1.	Call Home	Desktop	
2.	Edit Sec. 1	Memo to Tom	p. 1
3.	Reverse these p...	Memo to Tom	p. 2
4.	Call Marty about...	P&L-end year	p. 1
5.	Recalculate figur...	P&L-end year	p. 2

Go To Next

Fig. 42

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 95/00471

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G06F17/60 G06F17/24

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO,A,90 15380 (WANG LABORATORIES) 13 December 1990 see the whole document ---	1,25,62, 70,77, 101,107, 140,151
X	COMMUNICATIONS OF THE ASSOCIATION FOR COMPUTING MACHINERY, vol. 34,no. 7, July 1991 NEW YORK US, pages 75-83, XP 000258987 R.L. PHILLIPS 'MediaView: A General Multimedia Digital Publication System' see page 78, right column, last paragraph - page 80, left column, paragraph 2 --- -/--	1

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

4 May 1995

Date of mailing of the international search report

22.05.95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

Pottiez, M

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 95/00471

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 34,no. 10B, March 1992 NEW YORK, US, pages 53-54, XP 000302574 'Technique for Annotating a Document Page.' see the whole document ---	1-176
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 33,no. 8, January 1991 NEW YORK, US, pages 258-259, 'Quicknote Function to Add Short Notes to a Display.' see the whole document ---	1-176
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 35,no. 4b, September 1992 NEW YORK US, page 362 XP 000313982 'Annotation of Address Book in OfficeVision on Aix' see the whole document ---	1-176
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 37,no. 1, January 1994 NEW YORK, US, pages 121-122, 'Electronic Posted Notes' see the whole document ---	1-176
A	RESEARCH DISCLOSURE, no. 320, December 1990 HAVANT GB, page 941 XP 000163325 'Creating Personalized User Indexes for Annotated Documents' see the whole document -----	43,124

INTERNATIONAL SEARCH REPORT

information on patent family members

Intern. al Application No

PCT/US 95/00471

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-9015380	13-12-90	AU-B- 652120	18-08-94
		AU-A- 4627689	07-01-91
		CA-A- 2003231	02-12-90
		EP-A- 0477173	01-04-92
		JP-T- 4507309	17-12-92
		US-A- 5231578	27-07-93
